

INDEX

Note: Page numbers in *italics* indicate figures.
Page numbers followed by *t* refer to tables.
Numbers preceded by CP indicate Color Plates.

- ABRS. See *Bacterial rhinosinusitis, acute*.
- Acaricides, 40t, 41
- Actifed, 144
- Acular (ketorolac tromethamine), 74, 75t
- Adenoid hypertrophy
age and, 13, 27
detection of, 32
- Adolescents, adenoid hypertrophy in, 13, 27
- Afrin. See *Oxymetazoline nasal spray*.
- Age. See also *Adolescents; Children*.
allergic rhinitis and, 15t, 16, 28-29
chronic rhinitis syndromes and, 15t
gustatory rhinitis and, 18
nasal polyps and, 18
otitis media and, 37
- Air cell, in turbinate, 13
- Air conditioning, 40
- Air filters, in dust mite avoidance, 41
- Air-fluid levels, in sinuses, CP4, CP7, CP8, CP9, 110, 139, 141
- Alamast (pemirolast potassium), 75t
- Albuterol
for asthma, 52
in pregnancy, 76t-77t
- Alcohol ingestion, 31
- Alkylamines. See also specific drugs.
dosages of, 46t
- Allegra. See *Fexofenadine*.
- Allergens
animals as, 25t, 28-30, 34, 40, 80
cockroaches as, 25t
dust mites as, 25t, 30-31, 34, 40, 40t, 80
food as, 31, 34
geographic variations in, 30
grass as, 25t, 30, 80
medications as, 31
mold as
indoors, 25t
outdoors, 25t, 31, 40
seasonal, 25t, 31
skin tests for, 34
spore count in, 25t, 31
perennial, 92t
pollen as, 25t, 28t, 30, 34, 40, 80, 92t
ragweed as, 16, 25t, 35, 53-54, 67, 80
seasonal, 25t, 28t, 30-31, 92t
trees as, 25t, 30, 80
- Allergic conjunctivitis
in children, 74
environmental control measures and, 42
- Allergic reactions. See also *Inflammatory cascade*.
components of, 21
early- and late-phase, 24, 26
- Allergic rhinitis, 92t
age and, 15t, 16, 28-29
antihistamines in, 50-54
causes of, 15t, 32-33. See also *Allergens*.
chronic, 135. See also *Rhinosinusitis, chronic*.
decongestants for, 57, 60
diagnosis of, 11
skin tests in. See *Allergy skin tests*.
differential diagnosis of, 28t
familial, 29
guidelines for, 37-38
incidence of, 11, 16, 29
inflammatory cascade in, 21-22, 22-24, 24-26
inhalant sensitivities in, 16, 21
nasal discharge in, 33
seasonal
asthma with, 87
in children, 72
cromolyn sodium for, 70
desloratadine for, 51-52
fluticasone nasal spray for, 63
intranasal steroids for, 67-68
intranasal vs oral antihistamines for, 54-55
methacholine provocation in, 86
montelukast for, 72
omalizumab for, 88
symptoms of, 14t, 28-29, 142-144
treatment of. See *Rhinitis treatment*.
- Allergic Rhinitis and Its Impact on Asthma* (ARIA), 38, 68
- Allergy and Asthma Network/Mothers of Asthmatics, Inc. (AAN/MA), 147
- Allergy skin tests
advantages of, 33-35
discontinuing medications before, 33-34
in gustatory rhinitis, 18
indications for, 145
interpreting results of, 34
materials for, 34
nasal polyps and, 19
prick vs intradermal, 35
procedures in, 34-35
in rhinitis diagnosis, 11, 14t, 33-35
treatment decisions from, 39-40
units of measure in, 35
- Allergy units (AU), 35
- Alocril (nedocromil sodium), 75t-77t
- Alrex (lotepredol), 75t

Alternaria, 25t, 31, 145

American Academy of Allergy, Asthma, and Immunology (AAAAI), 37, 147

American Academy of Otolaryngic Allergy (AAOA), 147

American Academy of Otolaryngology Head and Neck Surgery (AAOHNH), 148

American Academy of Pediatrics (AAP), 148

American College of Allergy and Immunology (ACAI), 148

American Rhinologic Society (ARS), 148-149

Amoxicillin (Amoxil)

- dosage of, 118t, 121, 122-123, 126-127, 128t, 130t
- indications for, 124t
- susceptibility/resistance to, 104t, 124t, 141

Amoxicillin/clavulanate (Augmentin)

- cefixime with, 123, 127t, 130t
- dosage of, 118t, 121, 122, 126, 128t-130t, 132
- against *Haemophilus influenzae*, 101, 103, 104t
- indications for, 124t-126t
- against *Moraxella catarrhalis*, 103
- against *Streptococcus pneumoniae*, 104t, 124t-125t

Anaphylaxis, 79-80

Angiotensin-converting enzyme inhibitors, 31

Animal allergens, extracts for allergy shots, 80

Animal allergies, 28

- control measures for, 40
- seasonal, 25t
- severity of, 28-30
- shots for, 80
- skin tests for, 34

Anosmia, 27, 29

Antibiotics

- frequency of prescriptions for, 11
- resistance to, 97
 - alteration of bacterial target or binding site in, 99
 - β -lactamase production and, 98-99, 101, 102, 103
 - for rhinosinusitis, 11, 15t, 124t-125t
 - selection of, nasal endoscopy in, CP3, 108

Anticholinergic side effects, of oral antihistamines, 48

Anticholinergics, 44t-45t, 70, 71t, 72

Antigen-presenting cell, 21, 22-23

Antihistamines. See also specific drugs.

- cost of, 69
- intranasal, 41, 44t-45t, 54-55
 - intranasal corticosteroids vs, 56-57
 - oral antihistamines vs, 55-56
- oral
 - action mechanism of, 25
 - advantages of, 45, 48
 - as anti-inflammatory agents, 26
 - asthma and, 50-51
 - cardiac effects of, 49-50, 51t
 - classification of, 44t, 45, 48
 - comparative trials of, 52-54, 68-69

Antihistamines, oral (*continued*)

- duration of action, 48-49
- effectiveness of, 43, 45, 45t
- intranasal antihistamines vs, 55-56
- intranasal corticosteroids vs, 68-69
- potency of, 49
- safety of, 49-51
- sedation from, 48, 50, 51t
- side effects of, 48-50
- skin tests and, 33-34
- in pregnancy, 75, 76t-77t
- topical, 73, 75t

Antihypertensive agents, 15t, 31

Anti-immunoglobulin E monoclonal antibody

- action mechanism of, 74
- effectiveness of, 74-75

Anti-inflammatory drugs, in pregnancy, 76t-77t

Antrochoanal polyp, CP6, 109-110

Apnea in sleep, 27

Aspergillus, 25t

Aspirin sensitivity

- asthmatic, 19
- nasal polyps and, 15t
- in nonallergic rhinitis, 92t

Astelin Nasal Spray. See *Azelastine nasal spray*.

Astemizole (Hismanal)

- cardiac side effects of, 49-50
- effectiveness of, 53
- skin tests and, 33-34

Asthma

- antihistamines in, 50-51
- aspirin sensitivity in, 19
- familial, 27
- IgE level in, 36
- methacholine responsiveness in, 18
- in pregnancy, 75
- rhinitis with
 - evidence for, 83-87, 84t, 85-86
 - symptom frequency in, 18
 - seasonal allergic rhinitis with, 87

Asthma and Allergy Foundation of America (AAFA), 149

Asthma medications, skin tests and, 34

Atarax. See *Hydroxyzine*.

Atopic dermatitis, 29

Atrovent. See *Ipratropium bromide nasal spray*.

Audiometry, 37

Augmentin. See *Amoxicillin/clavulanate*.

Autumn, environmental allergens in, 25t, 30

Avelox (moxifloxacin). See *Moxifloxacin*.

Azalides, 103, 119t, 127t, 131t

Azatadine (Optimine, Trinalin), 46t

Azelastine HCl (Optivar), 75t

Azelastine nasal spray (Astelin Nasal Spray)

as anti-inflammatory agent, 26, 54-55

dosage of, 47t, 56

effectiveness of, 54-56

indications for, 54, 56

loratadine with, 55

oral antihistamines vs, 55

in pregnancy, 76t-77t

safety of, 51t

sedation from, 51t

Azithromycin (Zithromax), 119t

in β -lactam allergic patients, 121, 128t-129t, 132

in children, 128t-129t

indications for, 124t

susceptibility/resistance to, 104t, 124t

B cells, 22

Bacteria, translocation into sinus cavities, 97

Bacterial rhinosinusitis, acute (ABRS). See also *Rhinosinusitis*;

Sinusitis.

antibiotic resistance in, 98-99, 101, 103, 104t-105t

computed tomography of, CP7

cost of, 94

diagnosis of, 11-12

maxillary sinus puncture in, 108

maxillary toothache in, 107

nasal endoscopy in, CP2, CP3, 108

nasal secretions in, 10795

plain radiographs in, 108-109

symptoms in, 107

ultrasound in, 108

duration of, 92, 94

epidemiology of, 94

incidence of, 94

orbital invasion by, CP11, 142, 143-144

pathogens in, 97, 98-99

recurrent, 94

symptoms of, CP11, 141-142

treatment of, 117, 139-140. See also specific drugs and drug types.

surgical, 142

unilateral, computed tomography of, 105

from viral rhinitis, 11-12, 96-97, 140

Bactrim. See *Trimethoprim/sulfamethoxazole (TMP/SMX)*.

Beclomethasone nasal spray (Beconase AQ, Vancenase)

actions of

duration of, 61

onset of, 61, 65t

classification of, 44t

clinical trials of, 66-67

dosage and delivery of, 62t

effectiveness of, 55, 67-68

pharmacokinetics of, 65t

potency of, 61, 63t

in pregnancy, 76t-77t

Beconase AQ. See *Beclomethasone nasal spray*.

Bed covers, in dust mite avoidance, 40t, 41

Benadryl (diphenhydramine)

classification of, 45

dosage of, 46t

duration of action, 48

in pregnancy, 76t-77t

Benzalkonium, 74

β -blockers, 31

β -lactam antibiotics, allergic reactions to, 132-133

β -lactamase production, 98-99, 101, 102, 103

Biaxin. See *Clarithromycin*.

Biologic allergy units (BAU), 35

Birth control pills, 31

Blood pressure medications, 15t, 31

Blood tests

advantages of, 35-36

for IgE, 35, 36

in rhinitis diagnosis, 35-36

Brompheniramine (Dimetane)

classification of, 45

dosage of, 46t

duration of action, 48

effectiveness of, 52

in pregnancy, 76t-77t

sedation from, 52

Bronchodilators, 76t-77t

Budesonide nasal spray (Rhinocort AQ), 44t

advantage of, 64

in children, 64

comparative trials of, 66-68

dosage of, 62t, 66-67

omalizumab with, 88

onset of action, 65t

pharmacokinetics of, 65t, 66-67

potency of, 63t, 64

in pregnancy, 76t-77t

Cat allergen

in allergic rhinitis, 144

extract for allergy shots, 80

Cefdinir (Omnicef)

for ABRS, 121, 122, 124t, 128t, 132

dosage of, 118t

against *Haemophilus influenzae*, 101, 103, 104t

against *Moraxella catarrhalis*, 103

penicillin cross-reactivity with, 132-133

against *Streptococcus pneumoniae*, 104t

Cefixime (Suprax), 103

amoxicillin or clindamycin with, 123, 127t, 130t

Cefpodoxime (Vantin)

in children, 128t

dosage of, 118t, 121

Cefpodoxime (Vantin) (*continued*)
 indications for, 101, 103, 122, 124t
 in penicillin intolerance, 132
 susceptibility/resistance to, 101, 103, 104t, 124t

Ceftin (cefuroxime). See *Cefuroxime*.

Ceftriaxone (Rocephin)
 for ABRS, 122, 124t-126t, 128t-129t
 in children, 128t-129t
 dosage of, 119t
 susceptibility/resistance to, 104t

Cefuroxime (Ceftin)
 in children, 121, 128t
 dosage of, 118t, 121
 indications for, 122, 124t
 in penicillin intolerance, 132-133
 susceptibility/resistance to, 104t, 124t

Cephalosporins, drug cross-reactivity with, 132-133

Cetirizine (Zyrtec)
 for allergic rhinitis, 53
 with asthma, 51, 87
 as anti-inflammatory agent, 26
 classification of, 45
 dosage of, 47t
 duration of action, 49
 effectiveness of, 53-54
 potency of, 49
 in pregnancy, 76t-77t
 safety of, 51t
 sedation from, 48, 51t, 53

Children
 ABRS in, 12
 complications of, 142
 drugs for, 117, 120t, 121, 128t-131t, 132
 frequency of, 94
 pathogens causing, 97, 99
 adenoid hypertrophy in, 13, 27
 allergic asthma in, 41
 allergic conjunctivitis in, 74
 allergic rhinitis in, 16, 37, 72
 antihistamine dosages in, oral, 46t-47t
 β -lactam allergy in, 128t-129t
 corticosteroid nasal sprays in, 64, 66
 eczema in, adult atopic dermatitis and, 29
 olopatadine in, 74
 otitis media in, 37
 resources for, 148-149
 rhinosinusitis in, diagnosis of, 107, 109

Chlorpheniramine (Chlor-Trimeton)
 classification of, 45
 dosage of, 46t, 53
 duration of action, 48
 potency of, 49
 in pregnancy, 76t-77t

Ciliary dyskinesia, 28t

Cladosporium, 25t, 31

Clarinet. See *Desloratadine*.

Clarithromycin (Biaxin)
 in β -lactam allergy, 128t-129t, 132
 dosage of, 119t
 effectiveness of, 121
 indications for, 124t
 susceptibility/resistance to, 105t, 124t

Claritin. See *Loratadine*.

Clavulanate. See *Amoxicillin/clavulanate*.

Clemastine fumarate (Tavist), 47t

Cleocin. See *Clindamycin*.

Clindamycin (Cleocin)
 action mechanism of, 106
 cefixime with, 123, 127t, 130t
 in children, 129t
 dosage of, 119t
 penicillin and, 103t
 potency of, 131t
 resistance to, 101, 103t
 rifampin with, 124t-125t, 127t, 129t-130t

Clinical trials
 of beclomethasone, 67
 of intranasal antihistamines, 55-57
 of intranasal corticosteroids, 56-57, 66-69
 of oral antihistamines, 52-56, 68-69

Cockroaches, 25t

Colds, course and resolution of, 13

Computed tomography
 in chronic rhinosinusitis, 136t, 137, 138
 in loss of sense of smell/taste, 27
 of sinus air-fluid levels, CP8, CP9, 139
 of sinus opacification, CP9, 140-141, 143-144
 in sinusitis diagnosis, 109-110, 111-115

Concha bullosa, 13, 92t

Congenital abnormalities, chronic rhinosinusitis and, 135

Congestion. See *Nasal congestion*.

Conjunctivitis
 allergic, 28
 vernal
 cromolyn ophthalmic drops for, 74
 ketotifen for, 75t

Contact lenses, 74

Corticosteroid nasal sprays, 44t-45t
 action mechanism of, 25, 60-61
 adverse effects of, 64, 66
 in children, 64, 66
 clinically distinguishing factors of, 65t
 comparative trials of, 66-69
 cost of, 69
 dosage, 62t
 duration of action, 44t

- Corticosteroid nasal sprays (*continued*)
 frequency of prescriptions for, 11
 indications for, 43, 69
 intranasal antihistamines vs, 56-57
 leukotriene receptor antagonists vs, 72-73
 potency of, 26, 45t, 63t, 64
 selection among, 69
 skin tests and, 34
- Cost of chronic rhinitis, 11
- Cromolyn sodium ophthalmic drops (Opticrom), 74, 75t
- Cromolyn sodium solution (Nasal crom), 44t
 for allergic rhinitis, 45t, 70
 for chronic rhinitis, 39, 43
 for congestion, 26
 dosage and delivery of, 44t, 70, 71t
 effectiveness of, 45t, 70
 in pregnancy, 76t-77t
 safety of, 70
- Cyproheptadine (Periactin), 47t
- Cystic fibrosis, nasal polyps in, 13
- Cytokines, agents against, 7871
- Decongest. See *Oxymetazoline nasal spray*.
- Decongestants
 as hybrid, 44t, 59t
 as nasal sprays
 action mechanism of, 57
 classification of, 44t
 dosage of, 58t-59t
 rebound congestion from, 31, 57
 recommended duration of use, 57
- oral, 44t
 contraindications to, 60
 dosage of, 59t
 side effects of, 57, 60
 withdrawal symptoms from, 60
- over-the-counter, dosage and delivery of, 58t-59t
 relative effectiveness of, 45t
 rhinitis medicamentosa from, 15t, 92t
 topical, 15t, 57
- Dermatitis, atopic, 29
 childhood eczema and, 29
 IgE level in, 36
- Desloratadine (Clarinet), 87
 for asthma, 87
 classification of, 45t, 48
 clinical trials of, 54-55
 distinguishing properties of, 54
 dosage of, 47t
 duration of action, 49
 indications for, 52
 pharmacokinetics of, 51
 potency of, 49
- Desloratadine (Clarinet) (*continued*)
 in pregnancy, 76t-77t
 safety of, 51t, 51-52
- Dexamethasone nasal spray, 44t, 61, 64, 65t
- Diagnosis and Management of Rhinitis: Parameter Documents of the Joint Task Force on Practice Parameters in Allergy, Asthma, and Immunology*, 37
- Dimetane. See *Brompheniramine*.
- Diphenhydramine (Benadryl)
 classification of, 45
 dosage of, 46t
 duration of action, 48
 in pregnancy, 76t-77t
- Doxycycline (Vibramycin)
 in ABRS, 124t, 127t
 action mechanism of, 106t
 in β -lactam allergy, 121, 123, 127t
 dosage of, 120t
 penicillin and, 103t
 resistance to, 101, 103t, 105t
- Dristan Long-Lasting. See *Oxymetazoline nasal spray*.
- Dristan Nasal (phenylephrine HCl/pheniramine maleate), 59t
- Duration. See *Phenylephrine nasal spray*.
- Dust mite allergen
 control measures for, 40t, 40-41, 145
 extract for allergy shots, 80
 seasonal, 25t
 skin tests for, 34
 vacuuming and, 30-31
- Eardrum ventilating tubes, 37
- Eczema, childhood, adult atopic dermatitis and, 29
- Efedron Gel (ephedrine), 58t, 60
- Endocrine rhinitis, 92t
- Endoscopic sinus surgery, computer-aided, 137, 138
- Endoscopy, nasal. See *Nasal endoscopy*.
- Environmental allergens, seasonal, 25t, 28t, 30-31, 92t, 142-145.
 See also *Allergens*.
- Environmental chemicals/pollutants, chronic rhinosinusitis and, 135
- Environmental control
 in allergy avoidance, 40t, 40-41
 in chronic rhinitis, 15t
- Enzyme-linked immunosorbent assay (ELISA), for IgE, 35-36
- Eosinophil(s), in inflammatory cascade, 21-22, 22-23
- Eosinophil count, 33
- Eosinophilia
 in nonallergic rhinitis. See *Nonallergic rhinitis with eosinophilia syndrome*.
 in rhinitis syndromes, 14t
- Ephedrine (Efedron gel), 58t, 60
- Epinephrine nasal spray, 44t
- Epistaxis, 63-64, 67-68

- Erythromycin
 for ABRS, 128t-129t
 in β -lactam allergy, 132
 indications for, 121, 124t
 stomach intolerance to, 140
 susceptibility/resistance to, 105t, 124t
- Ethanolamines, 46t
- Ethmoid sinuses
 anatomy of, CP1, 95, 96
 diseased, CP7, 139
 opacification of, CP7, 143-144
 surgical drainage of, 142
- Exercise, for vasomotor instability, 15t
- Expectorants, iodide-containing, 75
- Eyes
 itchy, 28, 45
 treatment of, 73-74, 75t
- Facial pain, 139
- Factive (gemifloxacin), 105t, 120t
- Fall, environmental allergens in, 25t, 20f
- Familial disorders, 29
- Family history, 15t
- Fexofenadine (Allegra)
 azelastine with, 55-56
 classification of, 45, 48
 dosage of, 47t
 duration of action, 49
 effectiveness of, 50, 52-53, 55-56
 potency of, 49
 in pregnancy, 76t-77t
 safety of, 50, 51t
 sedation from, 48, 51t
- Flonase. See *Fluticasone nasal spray*.
- Flunisolide nasal spray (Nasalide, Nasarel), 44t
 action of
 duration of, 61
 onset of, 65t
 dosage of, 62t
 pharmacokinetics of, 65t
 potency of, 63t
 in pregnancy, 76t-77t
- Fluoroquinolones, against *Streptococcus pneumoniae* and
Haemophilus influenzae, 101, 103, 105t, 106, 123t, 126t
- Fluticasone nasal spray (Flonase), 44t
 adverse effects of, 63
 in children, 64
 comparative trials of, 66-68, 72
 dosage of, 62t
 indications for, 61
 onset of action, 61, 65t
 pharmacokinetics of, 65t
 potency of, 61, 63t, 63-64
 in pregnancy, 76t-77t
- Folate inhibitors, 104t, 119t. See also *Trimethoprim/sulfamethoxazole (TMP/SMX)*.
- Food allergy
 rhinitis from, 31
 skin tests for, 34
- Foradil, 76t-77t
- Foreign body, 28t
- 4-Way Fast-Acting, 59t
- Frontal sinuses, anatomy of, CP1, 95
- Fungus, chronic rhinosinusitis and, 135
- Fusarium*, 25t
- Gatifloxacin (Tequin)
 dosage of, 120t
 indications for, 121, 122, 125t
 susceptibility/resistance to, 105t, 124t-127t
- Gemifloxacin (Factive), 105t, 120t
- Genetic abnormalities, chronic rhinosinusitis and, 135
- Geographic locations, allergen variation in, 30
- Granulocyte-macrophage colony-stimulating factor, in early- and
 late-phase allergic response, 26
- Granulomatous disease, in nasal obstruction, 27, 28t, 92t
- Grass pollen allergen
 extract for allergy shots, 80
 seasonal, 25t, 30, 143-144
- Guanethidine, rhinitis from, 31
- Gustatory rhinitis, 18
- Haemophilus influenzae*
 antibiotic resistance/susceptibility of, 99, 101, 103, 104t, 124t-125t,
 127t, 129t
 β -lactamase production by, 99, 102, 103
 as rhinosinusitis pathogen, 97, 98-99
- Headache, 29
- Heart, antihistamine adverse effects on, 49-50, 51t
- High-efficiency particulate air (HEPA) filters, 41
- Hismanal. See *Astemizole*.
- Histamine, symptoms triggered by, 26
- Horner's syndrome, 92t
- Hybrid intranasal spray, 44t, 59t
- Hydrocortisone potency, 63t
- Hydroxyzine (Atarax, Vistaril)
 classification of, 45, 48
 dosage of, 46t
 duration of action, 48
 sedation from, 48
 skin tests and, 33-34
- Hypothyroidism, rhinitis and, 92t
- Idiopathic rhinitis, 92t
- Immunodeficiency, chronic rhinosinusitis in, 135

Immunoglobulin E (IgE). See also *Anti-immunoglobulin E monoclonal antibody*; *Omalizumab*.
 allergic rhinitis and, 16
 aspirin sensitivity and, 19
 in asthma, 86
 blood tests for, 35, 36
 in chronic rhinitis syndromes, 14t
 to environmental allergen, 33
 in inflammatory cascade, 21-22, 22-24
 overlap in allergic diseases, 36

Immunotherapy
 action mechanism of, 79-80
 advantages of, 25
 allergy skin test extracts for, 35
 anaphylaxis in, 79-80
 for chronic rhinitis, 15t
 for congestion, 26
 dosages in, 80-81
 effectiveness of, 79
 goals of, 81
 indications for, 79
 interval between shots in, 81
 omalizumab added to, 88

In vitro assays. See *Blood tests*.

Infectious rhinitis, 92t

Inflammatory cascade, in allergic rhinitis, 21-22, 22-24, 24-26

Interleukins
 agents against, 78
 in early- and late-phase allergic response, 24, 26
 in inflammatory cascade, 21-22, 23

Iodides, in expectorants, 75

Ipratropium bromide nasal spray (Atrovent), 44t
 action mechanism of, 70
 dosage of, 71t, 72
 effectiveness of, 70
 onset of action, 70
 for rhinitis, 44t

Itching
 nasal. See *Nasal itching*.
 ocular, 28, 45

Keratoconjunctivitis, 74

Ketek (telithromycin)
 for ABRS, 121, 123, 124t
 dosage of, 119t
 resistance/susceptibility to, 103, 104t

Ketolides
 for ABRS, 119t, 127t
 action mechanism of, 106t
 resistance to, 101
 susceptibility/resistance to, 101, 104t

Ketorolac tromethamine (Acular), 74, 75t

Ketotifen fumarate (Zaditor), 74, 75t, 78

Kinins, symptoms triggered by, 25

Laboratory tests, in rhinitis diagnosis, 33-36

Leukotriene receptor antagonists
 future of, 78
 in treating allergic rhinitis, 44t-45t, 72-73, 145

Leukotrienes
 azelastine and, 55
 in early and late phase allergic response, 24
 symptoms triggered by, 25

Levaquin. See *Levofloxacin*.

Levocabastine (Livostin), 56, 73-74, 75t

Levofloxacin (Levaquin)
 for ABRS, 124t-127t
 in β -lactam allergy, 125t
 dosage of, 120t
 indications for, 121, 122, 125t
 susceptibility/resistance to, 105t, 125t

Livostin (levocabastine), 56, 73-74, 75t

Lodoxamide, 74

Loratadine (Claritin)
 for allergic rhinitis, 51, 87
 as anti-inflammatory agent, 26
 for asthma, 51, 87
 azelastine with, 55
 classification of, 45, 48
 clinical trials of, 52-55
 dosage of, 47t
 duration of action, 49
 effectiveness of, 51-54
 potency of, 49
 in pregnancy, 76t-77t
 safety of, 50, 51t
 sedation from, 48, 51t

Lotepredol (Alrex), 75t

Macrolides
 dosages of, 119t
 in penicillin intolerance, 127t
 resistance to, 101, 103, 104t-105t

Macrophage, in inflammatory cascade, 21, 22-23

Magnetic resonance imaging, in chronic rhinosinusitis, 136t, 137

Major basic protein, 23

Malignant tumors, nasal, 27

Mast cell
 degranulation of, 24
 in early- and late-phase allergic response, 24
 in inflammatory cascade, 21-22, 22-23, 24

Maxillary sinuses
 air-fluid level in, CP4, 108
 anatomy of, CP1, 95, 96
 opacification of, CP5, CP9, 141, 143

Medical history, 27-28

Medication history, 31

Metaproterenol, 76t-77t

Methacholine challenge, 18, 86, 88, 145

Methyldopa, 31

Mold allergy
 indoors, 25t
 outdoors, 25t, 31, 40
 seasonal, 25t, 31
 skin tests for, 34
 spore count in, 25t, 31

Mometasone nasal spray (Nasonex), 44t, 61
 in children, 64
 comparative trials of, 66-68
 dosage of, 62t
 duration of action, 61
 onset of action, 61, 65t
 pharmacokinetics of, 65t
 potency of, 61, 64, 65t
 in pregnancy, 76t-77t

Monoclonal antibody, against IgE, 74-75. See also *Omalizumab*.

Montelukast (Singulair), 44t
 action mechanism of, 72
 in children, 72
 dosage of, 71t
 effectiveness of, 72-74, 87
 intranasal steroid sprays vs, 72-73
 pharmacokinetics of, 72
 in pregnancy, 76t-77t
 safety of, 73

Moraxella catarrhalis
 antibiotic resistance/susceptibility of, 99, 101, 103
 β -lactamase production by, 99, 101, 103
 as rhinosinusitis pathogen, 97, 98-99

Moxifloxacin (Avelox)
 dosage of, 120t, 121, 122
 effectiveness of, 126t
 indications for, 124t-125t
 susceptibility/resistance to, 105t, 123, 125t

Mucociliary dysfunction, chronic rhinosinusitis and, 135

Mucosa
 edema of, 57
 inflammation of, in polyposis etiology, 19
 in NARES, 33

Mucosal barrier, inhaled allergen penetration of, 21

MYCI Spray, 59t

Naphazoline for eyes, 73

Naphazoline nasal spray (Privine)
 dosage of, 58t-59t
 duration of action, 44t, 58t
 in hybrid intranasal spray, 59t
 rebound congestion from, 57

NARES. See *Nonallergic rhinitis with eosinophilia syndrome*.

Nasacort. See *Triamcinolone acetonide nasal spray*.

Nasal bleeding, 63-64, 67-68

Nasal congestion
 drugs for, 26. See also *Decongestants*.
 pathophysiology of, 57
 polyps and, 28-29
 rebound, 31, 57
 in rhinitis syndromes, 14t
 in sleep disturbance, 27
 triggers of, 25

Nasal discharge
 drugs for, 45t
 in upper respiratory infections, 92
 in various disorders, 33

Nasal drainage, in chronic rhinosinusitis, CP10, 141

Nasal endoscopy, CP3, 27
 in ABRs diagnosis, 108
 in anatomic obstruction diagnosis, 32
 in chronic rhinosinusitis diagnosis, 135, 136t
 with Gram's stain, in detecting sinus bacteria, 97

Nasal itching
 in allergic rhinitis, 28
 oral antihistamines for, 45, 48
 triggers of, 26

Nasal obstruction
 causes of, 27
 fluctuations in, 27
 in rhinitis. See *Structural rhinitis*.

Nasal patency, 31

Nasal polyps
 age and, 13, 15t, 19
 allergy skin tests and, 19
 antrochoanal, CP6, 109-110
 asthmatic aspirin sensitivity in, 19
 computed tomography of, 114
 corticosteroid nasal sprays for, 69
 detection of, 32
 etiology of, 19
 factors associated with, 15t
 incidence of, 19, 27
 nasal congestion and, 28-29
 sinus abnormalities and, 19
 symptoms of, 14t
 systemic corticosteroids for, 19
 treatment of, 15t

Nasal saline, 139
 for vasomotor instability, 15t

Nasal septal deformity. See *Septal deviation*.

Nasal septum, anatomy of, 96

Nasal speculum, 32

Nasal spray. See *Decongestants, as nasal sprays*.

Nasal trauma, structural rhinitis and, 15t

Nasalacrom. See *Cromolyn sodium solution*.

Nasalide. See *Flunisolide nasal spray*.

Nasarel. See *Flunisolide nasal spray*.

- Nasonex. See *Mometasone nasal spray*.
- National Ambulatory Medical Care Survey, 11
- Nedocromil sodium (Alocril), 75t-77t
- Neoplasms
 - chronic rhinosinusitis and, 135
 - detection of, 32
 - malignant, 27
 - rinitis from, 92t
- Neo-Synephrine. See *Oxymetazoline nasal spray*; *Phenylephrine nasal spray*.
- Nitric oxide, in paranasal sinuses, 96
- Nonallergic rhinitis, 92t
- Nonallergic rhinitis with eosinophilia syndrome (NARES), 92t
 - age at onset, 15t
 - factors associated with, 15t
 - nasal discharge in, 33
 - symptoms of, 14t, 16, 18
 - treatment of, 15t
- Norastemizole, 50, 54, 78
- Northern United States, seasonal allergens in, 25t
- Nose
 - endoscopy of. See *Nasal endoscopy*.
 - physical examination of, 32-33
- Nostril. See *Phenylephrine*.
- Nostrilla. See *Oxymetazoline nasal spray*.
- Novafed (pseudoephedrine), 44t, 59t
 - dosage and delivery of, 59t
 - side effects of, 57, 60
- Occupational irritants. See *Workplace*.
- Ocular itching, 28, 45
- Ocular therapy, 73-74, 75t
- Olive allergen, 30
- Olopatadine (Patanol), 74, 75t, 78
- Omalizumab (Xolair)
 - added to immunotherapy, 88
 - for allergic rhinitis, 87-89
 - for asthma, 74, 88
 - dosage of, 87, 89
 - subcutaneous, 88-89
- Omnicef. See *Cefdinir*.
- Opacification, of sinuses, CP5, CP7, CP9, 140-141, 143-144
- Opticrom (cromolyn sodium ophthalmic drops), 74, 75t
- Optimine (azatadine), 46t
- Optivar (azelastine HCl), 75t
- Oral contraceptives, rhinitis medicamentosa from, 31
- Orbital abscess, from ABRS, CP11, 142, 143-144
- Ostiomeatal complex, normal, 96
- Ostiomeatal obstruction, CP7
- Otitis media, 37
- Otrivin (xylometazoline nasal spray)
 - congestion from, 57
 - dosage of, 58t
 - duration of action, 44t, 58t
- Oxymetazoline nasal spray (Afrin, Decongest, Dristan Long-Lasting, Neo-Synephrine, Nostrilla), 57
 - dosage of, 58t
 - duration of action, 44t, 58t
 - rebound congestion from, 57, 61
- Patanol (olopatadine), 74, 75t
- Patency, nasal, 31
- Pemirrolast potassium (Alamast), 75t
- Penicillin
 - for ABRS, 142
 - action mechanism of, 106t
 - cross-reactivity with cephalosporins, 132-133
 - cross-resistance with other antibiotic classes, 103t
 - intolerance to, 132
 - Streptococcus pneumoniae* resistance to, 99, 101, 102, 104t-105t, 123
- Penicillin binding proteins, 101
- Penicillium*, 25t
- Periactin (cyproheptadine), 47t
- Phenergan (promethazine), 46t
- Pheniramine maleate, 59t, 73
- Phentolamine, 31
- Phenylephrine HCl/naphazoline HCl/pyrilamine maleate (4-Way Fast-Acting), 59t
- Phenylephrine HCl/pheniramine maleate (Dristan Nasal), 59t
- Phenylephrine HCl/pyrilamine maleate (MYCI Spray), 59t
- Phenylephrine nasal spray (Duration, Neo-Synephrine, Nostril, Vicks-Sinex)
 - classification of, 44t
 - dosage of, 58t
 - duration of action, 58t
 - in hybrid sprays, 59t
 - rebound congestion from, 31, 57
- Phenylpropanolamine, 60
- Physical examination, 32-33
- Piperazines, 46t
- Pollen allergens
 - extracts of for allergy shots, 80
 - outdoors, 40
 - seasonal, 28t, 30, 92t
 - by geographic location, 30
 - from trees, 25t, 30, 80
 - skin tests for, 34
 - in differential diagnosis, 92t
- Polyps, nasal. See *Nasal polyps*.
- Postnasal drainage, 14t
- Prazosin, 31
- Prednisone, 76t-77t
- Pregnancy
 - asthma/allergy medications in, 75, 76t-77t
 - rhinitis in, 28t, 31, 92t
 - vasomotor instability and, 15t

Privine (naphazoline nasal spray)
 dosage of, 58t-59t
 duration of action, 44t, 58t
 rebound congestion from, 57
 Promethazine (Phenergan), 46t
 Prostaglandins, 25
 Protein nitrogen units (PNU), 35
 Pruritus, 29
 Pseudoephedrine (Novafed, Pseudogest, Sudafed), 44t
 dosage and delivery of, 59t
 side effects of, 57, 60
 Pseudogest (pseudoephedrine), 44t
 dosage and delivery of, 59t
 side effects of, 57, 60
 Pyrilamine maleate, in hybrid intranasal spray, 59t

 QT interval, antihistamines and, 49-50
 Quinolones, 120t

 Radioallergosorbent test (RAST), 35-36
 Radiography
 in chronic rhinosinusitis, 137t
 in sinus air-fluid level determination, CP4, 108-109
 in sinusitis diagnosis, 108-109, 110
 Ragweed allergen, 16, 25t
 beclomethasone trial in, 67
 comparative antihistamine effectiveness against, 53-54, 67
 extract of, for allergy shots, 80
 in skin tests, 35
 Reserpine, rhinitis from, 31
 Resources for allergy/asthma, 147-149
 Respiratory infection, viral. See *Viral upper respiratory infection*.
 Rhinitis. See also *Rhinosinusitis*.
 allergic. See *Allergic rhinitis*.
 asthma coexistence with, 27
 evidence for, 83-87, 84t, 85-86
 chronic
 anatomy and, 13
 asthma in, 27
 disorders in, 13, 14t-15t
 complications of, 36-37
 definition of, 11, 13
 diagnosis of
 blood tests in, 35-36
 medical history in, 27-28
 medication history in, 31
 mold spore counts in, 31
 physical examination in, 32-33
 seasonal pollen counts in, 30-31
 skin tests in, 14t, 33-35
 symptoms and signs in, 28t, 29-30
 differential diagnosis of, 28t
 endocrine, 92t

Rhinitis (*continued*)
 idiopathic, 92t
 IgE level in, 36
 medication-induced, 31
 pathogenesis of, 21-26
 in pregnancy, 31
 secondary, 28t, 92t
 treatment of. See *Rhinitis treatment*.
 types of, 14t-15t, 92t. See also specific type, eg, *Allergic rhinitis*;
 Structural rhinitis.
 in differential diagnosis, 28t
 Rhinitis medicamentosa, 28t, 92t
 age at onset, 15t
 from decongestant nasal spray, 57
 factors associated with, 15t
 symptoms of, 14t
 treatment of, 15t
 Rhinitis treatment, 15t
 avoidance of allergens as, 39-40, 40t
 goals of, 12, 39
 immunotherapy in, 79-81
 pharmacologic. See also specific drugs or drug types.
 anticholinergics in, 44t-45t, 70, 71t, 72
 corticosteroids in, 43, 44t-45t, 60-61, 63, 65t, 66-69
 cromolyn sodium in, 43, 44t-45t, 70, 71t
 decongestants in, 43, 44t-45t, 57, 60
 in future, 78
 inhaled antihistamines in, 43, 44t-45t, 54-55
 ocular, 73-74, 75t
 oral antihistamines in, 43, 44t-47t, 45, 48-54, 54-55
 in pregnancy, 75
 Rhinocort AQ. See *Budesonide nasal spray*.
 Rhinorrhea
 in rhinitis syndromes, 14t, 29
 triggers of, 25-26
 Rhinoscopy, in loss of sense of smell/taste, 27
 Rhinosinusitis. See also *Rhinitis*; *Sinusitis*.
 acute bacterial. See *Bacterial rhinosinusitis, acute*.
 age at onset, 15t
 chronic
 computed tomography of, CP7
 diagnosis of, 135136t-137t
 duration of, 136t
 imaging in, 136t-137t, 137
 nasal drainage in, CP10, 141
 surgery for, 137, 138
 treatment of, 141
 classification of, 91-92, 93t
 definition of, 11, 91
 differential diagnosis of, 92t
 factors associated with, 15t
 incidence of, 11
 nasal discharge in, 33, 108

Rhinosinusitis (*continued*)

- symptoms of, 14t
 - treatment of, 15t, 110, 117. See also specific drugs and drug types.
 - antibiotics in, 11, 15t, 111, 117, 124t-125t
 - goals of, 12
 - triggers of, 91
 - viral, 11, 91-92, 92t
- Rifampin
- clindamycin with, 124t-125t, 127t, 129t-130t
 - drug interactions with, 127t
 - TMP/SMX with, 129t
- Rocephin. See *Ceftriaxone*.

Saline, nasal, 139

Salmeterol, 76t-77t

Seasonal variations

- in environmental allergens, 25t, 28t, 30-31, 92t
- in pollen count, 28t, 30, 92t
- in rhinitis syndromes, 14t

Sedation, 48, 50, 51t

Seldane (terfenadine)

- cardiac side effects of, 49-50
- effectiveness of, 52-54
- for ocular itching, 74

Sense of smell/taste, loss of, 27, 29

Septal deviation, 13

- computed tomography of, 112
- detection of, 32
- incidence of, 27
- in structural rhinitis, 27, 28t, 92t

Septal perforation, 64

Septal spur, 113

Septra. See *Trimethoprim/sulfamethoxazole (TMP/SMX)*.

Septum, anatomy of, 96

Sinex (xylometazoline nasal spray)

- dosage of, 58t
- duration of action, 44t, 58t
- rebound congestion from, 57

Singulair. See *Montelukast*.

Sinus(es)

- air-fluid levels in, CP4, CP7, CP8, CP9, 139, 141
- anatomy of, CP1, 95, 96
- computed tomography of
 - of bilateral sinusitis, 115
 - of deviated septum, 112
 - normal, 111
 - of polyp, 114
 - of septal spur, 113
- development of, 95
- functions of, 95-96
- maxillary
 - air fluid level in, 110
 - polyp in, 114
- opacification of, CP5, CP7, CP9, 140-141

Sinus and Allergy Health Partnership (SAHP), 149

Sinusitis, 92t. See also *Bacterial rhinosinusitis, acute*; *Rhinosinusitis*.

- asthma and chronic rhinitis from, 85
- bilateral, computed tomography of, 106
- chronic, asthma in, 27
- diagnosis of, computed tomography in, 109-110, 115

Sinusoids, venous, engorgement of, 57

Skin tests. See *Allergy skin tests*.

Sleep apnea, 27

Smell, losing sense of, 27-29

Smoke exposure

- asthma symptoms and, 41
- chronic rhinosinusitis and, 135

Sneezing

- in rhinitis syndromes, 14t, 29
- treatment of, 45t
- triggers of, 25

Soft tissue, in nasal obstruction, 27

Sphenoid sinuses, CP1, 95

Spring, environmental allergens in, 25t, 30

Staphylococcus aureus

- as ABRS pathogen, 97, 98
- β -lactamase production by, 99

Staphylococcus pyogenes, as ABRS pathogen, 97, 99

Steroids. See *Corticosteroid nasal spray*.

Streptococcus pneumoniae

- as ABRS pathogen, 97, 98-99
- antibiotic susceptibility of, 97, 99, 101, 103, 104t-105t, 124t-125t, 127t, 129t
- penicillin-resistant, 102
- other antibiotic class cross-resistance in, 103t

Streptococcus pyogenes, 97

Structural rhinitis

- adenoidal hypertrophy in, 27
- age at onset, 15t
- factors associated with, 15t
- nasal polyps in, 27. See also *Nasal polyps*.
- septal deformity in. See *Septal deviation*.
- symptoms of, 14t
- treatment of, 15t

Sudafed (pseudoephedrine), 44t

dosage and delivery of, 59t

side effects of, 57, 60

Summer, environmental allergens in, 25t, 30

Sympathomimetics. See *Corticosteroid nasal spray*.

Taste, losing sense of, 27, 29

Tavist (clemastine fumarate), 47t

Telithromycin (Ketek)

- for ABRS, 121, 123, 124t
- dosage of, 119t
- resistance/susceptibility to, 103, 104t

- Tequin (gatifloxacin)
 dosage of, 120t
 indications for, 105t, 124t-127t
 susceptibility/resistance to, 105t
- Terbutaline, 76t-77t
- Terfenadine (Seldane)
 cardiac side effects of, 49-50
 effectiveness of, 52-54
 for ocular itching, 74
- Tetracycline, 75, 105t, 106, 120t
- Tetrahydrozoline nasal spray (Tyzine)
 dosage of, 58t
 duration of action, 44t, 58t
- T-helper cell
 in early- and late-phase allergic response, 26
 in inflammatory cascade, 21-22, 22-24
- Theophylline, 76t-77t
- Thyroid disorders
 rhinitis in, 92t
 vasomotor instability and, 15t
- TMP/SMX. See *Trimethoprim/sulfamethoxazole*.
- Toothache, maxillary, 107
- Torsade de pointes, 49
- Tree pollen allergens
 for allergy shots, 80
 seasonal, 25t, 28-30
- Triamcinolone acetonide nasal spray (Nasacort, Tri-Nasal Spray), 44t
 action of
 duration of, 61, 63
 onset of, 65t
 comparative trials of, 66-68
 dosage of, 62t
 pharmacokinetics of, 65t
 potency of, 63t
 in pregnancy, 76t-77t
- Trimethoprim/sulfamethoxazole (TMP/SMX) (Bactrim, Septra)
 action mechanism of, 106t
 in β -lactam allergy, 131t, 132
 in children, 128t
 dosage of, 119t
 penicillin and, 103t
 in penicillin intolerance, 127t
 resistance to, 101, 103
 rifampin with, 129t
- Trinalin (azatadine), 46t
- Tri-Nasal Spray (triamcinolone acetonide). See *Triamcinolone acetonide nasal spray*.
- Tripolidine, 76t-77t
- Tumor necrosis factor- α
 in early- and late-phase allergic response, 24, 25
 symptoms triggered by, 25
- Turbinates
 abnormalities of, 92t
 anatomy of, CP1, 95, 96
 appearance of, 32
 size of, 13
- Tylenol Allergy Sinus, 144
- Tympanic membrane, in otitis media, 37
- Tyzine (tetrahydrozoline nasal spray)
 dosage of, 58t
 duration of action, 44t, 58t
- Ultrasonography, in rhinosinusitis diagnosis, 108
- Upper respiratory infection
 duration of
 bacterial, 92, 94
 viral, 91-92, 92t, 117
 rhinosinusitis and, 15t
 viral
 duration of, 91, 117
 rhinosinusitis and, 11
- Urinary retention, 48, 60
- Vancenase. See *Beclomethasone nasal spray*.
- Vantin (cefprozime)
 dosage of, 118t
 indications for, 124t
 susceptibility/resistance to, 104t, 124t
- Vasoactive chemicals, 31
- Vasomotor instability, 14t-15t
- Vasomotor rhinitis, 16, 92t
- Vibramycin. See *Doxycycline*.
- Vicks-Sinex. See *Phenylephrine nasal spray*.
- Viral rhinitis, 92t
 computed tomography in, 109
 course and resolution of, 13
 decongestants for, 57
 duration of, 92, 94
 nasal discharge in, 32-33, 92
- Viral upper respiratory infection
 ABRS from, 11-12, 96-97, 139-140
 duration of, 91, 117
 rhinosinusitis after, 11, 91, 92t, 96
- Vistaril. See *Hydroxyzine*.
- Wegener granulomatosis, in nasal obstruction, 27, 28t, 92t
- Winter, environmental allergens in, 25t, 30
- Workplace
 inhalant allergies in, 17t
 irritants in, 17t
 lost time at, from chronic rhinitis/sinusitis, 11

Xolair. See *Omalizumab*.
Xylometazoline nasal spray (Otrivin, Sinex)
 dosage of, 58t
 duration of action, 44t, 58t
 rebound congestion from, 57

Zaditor (ketotifen fumarate), 74, 75t, 78
Zafirlukast, 76t-77t
Zileuton, 76t-77t, 78
Zithromax (azithromycin), 119t
 in β -lactam allergy, 121, 128t-129t, 132
 in children, 128t-129t
 indications for, 121, 124t
 susceptibility/resistance to, 104t, 124t
Zyrtec. See *Cetirizine*.