

INDEX

Note: Page numbers followed by “f” and “t” indicate figures and tables, respectively.

- A1C (glycosylated hemoglobin), 37-38, 37f. See also *Glucose control*.
chart of results, 38f
explanation of, 37-38, 37f
frequency of measurement, 52
level/value
 comparing with DCCT, 33-35, 34f
 controlling. See also *Glucose control*.
 for diabetes diagnosis, 29t, 30, 30f
 goals for, 36-37, 36t, 236, 409
 home monitoring of, 39, 39f
 lower, with insulin pump, 173
 lowering with CGM, 192
 normal level, 30, 30f
 in prediabetes, 30, 30f, 399
 relationship with blood glucose levels, 37, 38f
 tight glucose control (DCCT study), 33-35, 34f
 understanding test results, 51-52
as “long-term glucose-control factor,” 37-38, 37f
test for, 30, 30f
- A1CNow (HGM device), 39f
- Acanthosis nigricans, 320, 321f
- Acarbose (Precose), 114-115, 114t, 115t, 307, 397
 in STOP-NIDDM study, 398t, 401
- Accu-Chek (insulin pump), 176f
- Accupril (quinapril), 245t, 266t
- ACE (angiotensin-converting enzyme) inhibitors, 245t, 246, 266t
 cautions for some patients, 266
 kidneys, benefits for, 259, 265-266
- Aceton (perindopril), 245t, 266t
- Acetohexamide (Dymelor), 109t
- Aciphex (rabeprazole), 299
- ACT NOW study, 398t, 400
- Actoplus Met (pioglitazone/metformin), 123t
 XR (Actoplus Met XR), 123t
- Actos (pioglitazone), 115-117, 116t
 ACT NOW study, 398t, 400
 combined with metformin (Actoplus Met), 123t
 for diabetes prevention, 397, 404
 macular edema and, 277
- Acupuncture, 283
- Addyi (flibanserin), 342
- Adhesive capsulitis (frozen shoulder), 292
- Adlyxin (lixisenatide), 125-128, 127t
 plus Lantus (Soliqua), 128, 129t, 155
 side effects, 307
- Admelog (lispro U-100), 141t, 143, 144t
- Adrenalin (epinephrine), 226-227
- Adult-onset diabetes. See *Type 2 diabetes*.
- Advicor (lovastatin/niacin ER), 251t
- Advil (ibuprofen), 300

Advocacy (self-advocacy), 18, 20, 21, 38, 411
Diabetes Community Advocacy Foundation, 364, 368t
DiabetesAdvocates.org, 364, 368t
online support for, 362, 364
Afrezza, 137, 141t, 143, 143f, 144t, 145-147
as add-on therapy, 145
delivery system, 145-146
safety of, 146-147
time course of action, 141t, 145, 146
Age at onset
 type 1 diabetes, 23, 25t
 type 2 diabetes, 25t, 26
Air travel. See *Travel*.
Alarms
 CGM device, 190, 192, 193-194, 202-204, 205, 207
 alarm fatigue, 203, 204
 alarm settings, 202-204, 221t
 case studies, 214, 215-218
 insulin pump, 184
Albiglutide (Tanzeum), 125-128, 127t, 235
Albumin, 259
 in diabetic kidney disease, 259-262
 in urine (microalbuminuria), 259-262
Alcohol, 66-69
 “allowable” (ADA recommendations), 68
 blood pressure and, 86
 carbohydrates and calories in, 67-68, 67t
 how to stay safe while drinking, 68
 hypoglycemia and, 67, 229-230
 types of alcoholic drinks, 66, 67t
Alerts
 continuous glucose monitors, 190, 202-204, 221t
 insulin pumps, 182-183
Aleve (naproxen), 300
Algorithms
 for insulin use, 156-159, 158f
 for treatment of type 2 diabetes, 132, 133f
Alistikren (Tekturna), 245t, 246
Alogliptin (Nesina), 118, 119f, 235
 combined with metformin (Kazano), 123t
 combined with pioglitazone (Oseni), 123t
Alpha-blockers, 245t, 246-247
Alpha cells, 226
Alpha lipoic acid, 282
Altace (ramipril), 245t, 266t
Altocor (lovastatin), 251t, 268t
Amaryl (glimepiride), 109t, 307
 exercise-induced hypoglycemia and, 98
American Association of Diabetes Educators (AADE), 422
American Diabetes Association, 419
 diagnosis criteria, 29, 29t
 glucose goals, 36t
 testing/examination recommendations, 36t, 423
Amitriptyline, 282, 301
AmLactin, 324

Amlodipine (Norvasc), 245t
Amlodipine/atorvastatin (Caduet), 245t, 251t
Amputations. See also *Feet*.
 preventing, 279
Amylin (Symlin), 151-154, 299
Ankle edema, 117
Antacids, 299, 300
Antibiotics, 286, 301
Antidepressants, 282, 301
Antifungal medications, 300, 318-319
Antiseizure medications, 282
Apidra (glulisine), 141t, 143
 sick-day recommendations, 64
 time course of action, 141t
 tips for using, 144t
Appetite, satiety and, 124f, 125, 151
ARBs (angiotensin receptor blockers), 245t, 246, 267t
 kidneys, benefits for, 259, 267
Arteries, 283-284
Aspart (Novolog), 141t, 143, 143f, 144t
 Fiasp (faster-acting aspart), 141t, 143f, 144-145
 Ryzodeg 70/30, 142t
Aspirin, 253, 255, 300, 322, 374
Asymptomatic stage, 27, 408
Atacand (candesartan), 245t, 267t
Atenolol (Tenormin), 245t
Atherosclerosis, 237, 239, 255. See also *Heart disease*.
 family history of, 240
Athlete's foot (tinea pedis), 318-319, 318f
Atorvastatin (Lipitor), 251t, 252, 268t
 combined with amlodipine (Caduet), 245t, 251t
Atropine/diphenoxylate (Lomotil), 304
Auto accidents, 330
Autoimmune diabetes
 latent, in adults (LADA), 25-26
 type 1 diabetes, 24, 405, 406
Autoimmunity, 24, 405, 406
Autonomic neuropathy, 101
Avandamet (rosiglitazone/metformin), 123t
Avandaryl (rosiglitazone/glimepiride), 123t
Avandia (rosiglitazone), 115-117, 116t, 397
 combined with glimepiride (Avandaryl), 123t
 combined with metformin (Avandamet), 123t
 macular edema and, 277
Avapro (irbesartan), 245t, 267t
Azilsartan (Edarbi), 245t, 267t

Bacterial overgrowth syndrome, 301
Bad breath (halitosis), 312
Balance training, 96-97
Baron, Alain, 17
Basaglar (glargine), 141t, 147, 165t
Basal insulin. See *Insulin, basal; Insulin therapy, basal*.
Basal/bolus. See *Insulin therapy, basal/bolus*.
Behavioral Diabetes Institute (BDI), 46, 48, 50-51, 419
 web site, 54, 419

Beliefs, harmful, 47-48
challenging, 50-51
Benazepril (Lotensin), 245t, 266t
Benicar (olmesartan), 245t, 267t
Beta-blockers, 245t, 247
Beta cells, 25, 41, 124f, 226, 405
Betaxolol (Kerlone), 245t
Biguanides, 108, 112-114, 113t
Bile acid sequestrants, 108, 120-121, 121t
for abnormal cholesterol levels, 251t, 252
Biosimilars, 142t, 147
Bisoprolol (Zebeta), 245t
Blogs, 366, 368t
Blood flow problems, 283-284
Blood glucose. See also *Glucose; Glucose control.*
carbohydrates and, 74-76
kidney function and, 119, 136f
records, 63
relationship with A1C (glycosylated hemoglobin), 37, 38f
stability in nondiabetic people, 139-140
testing, for diabetes diagnosis, 29-31, 29t, 30f
in type 1 diabetes (fluctuations of), 23
in type 2 diabetes (elevation of), 27, 28f, 30
Blood glucose meters, 403, 425-426, 428t-434t
Blood pressure
controlling, 242-243, 242t, 244-247, 245t, 264-265
aggressive therapy, 242
dietary measures, 86-87
importance of, 410
diabetes medication effects on
SGLT-2 inhibitors, 120, 253
thiazolidinediones (TZDs), 116
frequency of measurement, 52
goals for, 243, 244, 264-265, 265t, 410
high
diabetes associated with, 25t, 31t, 402t
as heart disease and stroke risk factor, 241
“white coat” phenomenon, 59
low (hypotension), 120
measurement of, 264, 410
medications for, 244-247, 245t, 265-267, 266t
ACE inhibitors, 245t, 246, 265-266, 266t
alpha-blockers, 245t, 246-247
ARBs, 245t, 246, 267, 267t
beta-blockers, 245t, 247
calcium channel blockers (CCBs), 245t, 246
centrally acting agents, 245t, 247
combination therapy, 244, 245t, 251t, 253
designing a regimen for, 243-244
direct renin inhibitor, 245t
indoline diuretic, 245t, 247
list of agents, 245t
monotherapy, 244
thiazide diuretics, 245t, 247

Blood pressure (*continued*)
monitoring, 243, 410
home monitoring, 410
salt and, 86, 87
Blose, Jamie S., 107
Blumer, Ian, 55, 57f, 59, 371, 378
Blurry vision, 30
BMI (body mass index), 73-74, 75t
Body mass index (BMI), 73-74, 75t
Boland, Brigid, 297
Boluses
carb bolus (insulin pump), 173t, 179-180
correction bolus, 173t, 180, 181t
insulin (basal/bolus regimen), 167-169, 170t
insulin (normal function), 140
insulin pumps and, 173t, 179-180
Bone fractures, 280
Bourdette, Sandy, 18
Boyle, Patrick J., 225
Brain, glucose and, 227-228
Breast cancer, 113, 344
Brittle diabetes. See *Type 1 diabetes*.
Bromocriptine (Cycloset), 121-122, 122t
Butter, 85, 87
Bydureon (extended-release exenatide), 126, 127, 127t, 235
hypoglycemia risk and, 99
side effects, 307
Byetta (exenatide), 126, 127t, 299, 305, 307
extended-release (Bydureon), 126, 127, 127t
hypoglycemia risk and, 99, 235

Caduet (amlodipine/atorvastatin), 245t, 251t
Calcium channel blockers (CCBs), 245t, 246
Calories, 71-73
in alcoholic drinks, 67-68, 67t
calculating, 73, 423
Calorie King (web site), 423
calories per day, 72
1500-calorie diet, 72, 84-85
mobile apps for, 68
Canagliflozin (Invokana), 118-120, 120t, 235, 253-254
combined with metformin XR (Invokamet/XR), 123t
kidney health and, 264
Cancer, 89, 113, 358
bladder, 117
breast, 113, 344
liver, 305
lung, 146
skin, 322
thyroid, 127, 128t
Candesartan (Atacand), 245t, 267t
Candidiasis (fungal/yeast infection), 311-312
Candy, 65
Capoten (captopril), 245t, 266t
Capsaicin cream, 283

Captopril (Capoten), 245t, 266t
Carbamazepine (Tegretol), 301
Carbohydrate, 74-80, 76t, 88
in alcoholic drinks, 67-68, 67t
amount recommended per day, 74, 77t
bargains, 77t, 78, 81, 88
blood sugar and, 74
carb bolus (insulin pump), 173t, 179-180
counting, 74, 76-80, 155-156
“deal or no deal” examples, 76-80
food tips, 78, 79-80
foods containing, 74, 76t, 77t, 78, 88
grams of carbohydrate, 77t
how much in one meal?, 77t
low-carbohydrate options, 87
portion size, 74, 79
vegetables and, 76t, 77t, 78, 81
Carbohydrate absorption inhibitors, 108, 114-115, 114t, 397
benefits and shortfalls, 115, 115t
starting therapy with, 115t
Cardiovascular disease, 237-255. See also *Heart attack*; *Heart disease*.
cardiovascular outcome trials (CVOTs), 240
exercise and, 90, 102
mortality from, 237-238, 238t, 327, 327f
sleep apnea and, 325, 327, 327f, 337
thiazolidinediones (TZDs) and, 116
Caregivers. See *Health care providers*.
Carmol-40 (urea), 318, 324
Carpal tunnel syndrome (CTS), 291-292
Carvedilol (Coreg), 245t, 247
Causes of diabetes
type 1, 24, 25t, 405
type 2, 25t, 27
Cavaiola, Tricia Santos, 237
Celiac disease (celiac sprue), 302-303
Centers for Disease Control (CDC)-Diabetes Home Page, 423
Centrally acting agents, 245t, 247
CGM. See *Continuous glucose monitoring (CGM)*.
Charcot’s joint, 280-281, 293
Cheese, 83, 84t
Cheiroarthropathy, 289-290, 290f, 295
Children with diabetes, 405, 421, 426
CWD.com, 364
Juvenile Diabetes Research Foundation, 366, 406, 420
Chlorothiazide (Diuril), 245t
Chlorpropamide (Diabinese). See *Diabinese*.
Cholesterol, 85-86, 248-253, 410
abnormal levels, 248-249, 248t, 250, 410
categories of, 250
diabetes risk and, 31t
heart disease risk and, 241, 248, 255
controlling, 248-253, 248t, 251t, 268, 410
bile acid sequestrants, 251t, 252
cholesterol absorption inhibitor, 250-251, 251t
combination drugs, 251t, 253

Cholesterol, controlling (*continued*)
 diet and exercise, 249-250
 goal levels, 248t, 410
 niacin or nicotinic acid, 251t, 252
 PCSK9 inhibitors, 251-252, 251t
 statins, 250-251, 251t, 268t
 thiazolidinediones (TZDs) and, 116
egg yolk and, 85
foods containing, 85-86
frequency of measurement, 52, 63, 249, 410
goal levels, 248t, 410
high
 heart attack and, 248
 type 2 diabetes and, 25t, 31t
monitoring, 62, 63, 249, 410
types of
 HDL, 248-249, 249t, 250, 410
 LDL, 248-249, 249t, 250-251, 268, 410
Cholestyramine (Questran), 251t, 252
Cialis, 350
Cigarette smoking, 241
Circle diagram, 361, 361f
Cisapride (Propulsid), 299
Civil Rights, US Office for, 426
Clinical trials. See also *Prevention of diabetes*.
 on diabetes prevention, 398t, 399-401
 on tight glucose control (DCCT), 32-35, 34f
 volunteering for, 404, 405-406
Clobetasol, 321
Clonidine (Catapres), 245t
Close Concerns, 421
Clotrimazole (Lotrisone), 319
Coach (diabetes coach), 88
Cohen, Deborah, 339
Colberg, Sheri, 89
Colesevelam (Welchol), 120-121, 121t, 251t
Colestid (colestipol), 251t, 252
Colestipol (Colestid), 251t, 252
Collette Diabetes Network, 419
Coma, diabetic, 228, 234, 379. See also *Unconsciousness*.
Combination therapy, 122, 123t, 131-132, 133f, 136
 algorithm for, 133t
 for blood pressure control, 244, 245t, 251t, 253
 for cholesterol control, 251t, 253
 for glucose control, 131-132, 132t
 insulin and, 130, 163-164, 170t
Complications of diabetes, 31-36. See also *Eye disease; Kidney disease*.
 exercise and, 100-102
 glucose control and, 32-36, 34f, 36t
 macrovascular (acute or short-term), 32, 35-36, 36t, 237
 microvascular (long-term), 32-35, 36t, 258, 410
 poor glucose control and, 35-36, 36t
 preventing, 32-36, 397
 with blood pressure control, 410
 with good glucose control, 31-36, 34f, 228, 279
 reducing, 32-36, 34f, 410

Conferences, TCOYD, 18, 19, 411-412
Constipation, 303
Continuing education, 19-20, 415-416
Continuous glucose monitoring (CGM), 43-44, 189-223, 409
airplane travel and, 394
alerts and alarms, 190, 202-204, 221t
benefits of, 43-44, 159-161, 162t, 192-198, 409
download data, see the big picture, 195-198
hypoglycemia reduction, 193-195, 220
less time in high zone, 192-193
less time in low zone, 193-194
lower A1C, 192
night time hypoglycemia reduction, 194-195
clinical scenarios, 209-220
blood glucose levels at night, 218-220
blood glucose on the rise, 209-214
blood glucose on the way down, 214-218
devices/models currently available, 191f, 205-209
evaluating/choosing, 198-205
models available, 191f
pump-meter-CGM combos, 183
fine-tuning insulin rate/dose, 195
golden rules for, 221t-223t
health insurance coverage of, 43, 204-205
insulin pumps combined with, 191f
insulin use and, 170
lag time, 201
limitations of, 44
sensor inaccuracy and errors, 199-200
“share” feature, 202
smartphone app (Clarity), 195, 196f
start-up period and calibrations, 200-201
trend arrows, 190, 192f, 195-198
trend, three views of, 198, 199f
turnaround time, 198
Tylenol-containing medications and, 199, 206, 223
wearing the sensor, 200
Continuous positive airway pressure (CPAP), 331, 332-334, 333f-335f, 333t
Coreg (carvedilol), 245t, 247
Corgard (nadolol), 245t
Correction bolus (insulin pumps), 173t, 180, 181t
Correction factor (for insulin use), 156-159, 158f
Cortisol, 227
Cough, 146
Cozaar (losartan), 245t, 267t
CPAP (continuous positive airway pressure), 331, 332-334, 333f-335f, 333t
Crestor (rosuvastatin), 251t, 252, 268t
Cycloset (bromocriptine), 121-122, 122t
Cymbalta (duloxetine), 282

Dapagliflozin (Farxiga), 118-120, 120t, 235
combined with metformin ER (Xigduo), 123t
DASH diet, 86
DCCT (Diabetes Control and Complications Trial), 32-35, 34f, 228, 279
Death rate from diabetes, 16, 35
not a “death sentence,” 47

Degludec (Tresiba), 104, 147, 148, 150
combined with Victoza (Xultophy), 128, 128t, 155
initiating, 165t
Ryzodeg 70/30, 142t
Dehydration, 99-100
Dentures, 314
Desipramine, 282
Detemir (Levemir), 141t, 143f, 147, 165t
Dexcom G4/G5 (continuous glucose monitors), 191f, 196f, 202, 205-206
Dexcom G5 (insulin pump), 172f, 176f
Dexcom transmitter, Dr. Edelman wearing, 21f
Dexilant (dexlansoprazole), 300
DiaBeta (glyburide), 109t, 307
exercise-induced hypoglycemia and, 98
Diabetes
about, 23-44
age at onset, 23, 25t, 26
asymptomatic stage, 27, 408
causes of, 24, 25t, 27, 405
circle diagram, 361, 361f
complications of, 32-36
definition/criteria for, 29, 29t
diagnosis of, 29-31
education on. See *Education*.
emotional aspects of, 41-42, 45-54
ethnic groups and, 25t, 26, 31t, 401
gestational. See *Gestational diabetes*.
history sheet, 58-59, 60f-61f
incidence of, 24, 25t
management of. See also *Treatment for diabetes*.
“never too late” for, 20, 409-418
obstacles to, 47-50
responsibility and taking control, 18, 20, 21, 411
numbers/levels in. See *Numbers/levels*.
organizations related to, 419-421, 422-423, 426
prediabetes, 29-30, 398-399
prevention of, 397-408
resources for, 359-369, 419-426
risk factors for, 31t, 401-403, 402t
screening tests, 26, 405, 408
self-advocacy, for patients, 18, 20, 21
symptoms of, 13, 30
travel and, 389-396
treatment for. See *Treatment for diabetes*.
type 1. See *Type 1 diabetes*.
type 2. See *Type 2 diabetes*.
types of, 23-29, 24t
warranty program, 55-57, 56f, 59, 410
in the workplace, 379-388
Diabetes Burnout (Polonsky), 53
Diabetes Control and Complications Trial (DCCT). See *DCCT*.
Diabetes Daily, 419-420
Diabetes Etiquette Card, 53-54
Diabetes Forecast, 421
Diabetes Made Visible, 364

Diabetes Mall (web site), 422
DiabetesMine.com, 362-364, 365
Diabetes Motion, 106
Diabetes Online Community (DOC), 359, 362-364, 368t
Diabetes police, 49
Diabetes Prevention Program (DPP), 398t, 399-400, 403
Diabetes Risk Test, 402
Diabetes Self-Management (web site), 421
Diabetes warranty program, 55-57, 56f, 59, 410
Diabetic Athlete's Handbook, 106
DiabeticConnect.com, 363
Diabetic dermopathy, 321, 322f
Diabetic diarrhea, 303-304
Diabetic ketoacidosis (DKA), 120
Diabetic Lawyer, 421
Diabetic nephropathy. See *Kidney disease*.
Diabetic osteoarthropathy (Charcot's joint), 280-281, 293
Diabetic retinopathy. See *Eye disease*.
Diabinese (chlorpropamide), 109t, 306
 exercise-induced hypoglycemia and, 98
Diagnosis of diabetes, 29-31, 29t, 30f
 criteria for, 29, 29t
 early, benefits of, 27, 136, 408
 tests for, 29-31, 29t, 30f
 time (years) until, 27, 28f
Diarrhea, 303-304
diaTribe, 421
Diet, 71-88, 131, 132t, 403
 action plan for changes, 80-81
 blood glucose testing and, 88
 breakfast, 76-77, 80
 butter and margarine, 85, 87
 calories in, 71-73, 423
 1500-calorie diet, 72, 84-85
 calculating calories, 73
 carbohydrates, 74-80, 76t, 77t, 81, 88
 cheese, 83, 84t
 cholesterol, 85-86
 clinical trials in, 398t, 399-400, 403
 coach (diabetes coach) for, 88
 DASH diet, 86
 eating out, 80
 eggs, 85
 fat in, 81, 82f, 83-85, 84t, 87, 88
 food journal, 73
 food labels, 73, 88
 food tips, 78, 79-81
 foods recommended for diabetics, 71
 foods that raise blood glucose most, 74-75
 frequently asked questions, 87
 gluten-free, 302-303
 grocery shopping and, 80
 leftovers, 81
 Mediterranean diet, 349, 352, 357-358, 358f
 nutrient-dense food, 71

Diet (*continued*)

Nutrition Data (web site), 424

nutrition teleconferences, 424

portion sizes, 73, 74, 79, 88

protein, 81-86, 82f, 88

low-protein meal plan, 267

registered dietician, 72

salt in, 86-87, 88

travel and, 392-393

vegetables, 71, 81, 88

web sites on, 423-424

at work, 384, 385

Diflucan (fluconazole), 300

Digestive tract, 297-308, 297f. See also *Gastrointestinal (GI) tract*.

Dilantin (phenytoin), 301

Diltiazem, 245t

Diovan (valsartan), 245t, 267t

Dipyramidole, 322

Direct renin inhibitor, 245t

Disability, workplace and, 381, 385, 386, 423

Doctor. See also *Health care providers (HCPs)*.

consulting before exercise, 93, 93t, 103t

doctor-patient relationship, 42, 61-62

letter for travel, 389, 390t

training in diabetes care, 23

Doctor visits, 57-64

bringing records to, 41-42, 61, 63

frequency of, 57-58

frequency of lab tests, 63

honesty for, 61-62

list of questions for, 58t, 64

prescriptions, 58, 62

questions for, 58t, 59, 64

top ten tips for, 59-63

topics to discuss, 57-59, 58t, 64

what should be done at, 52, 56f, 59, 62-63

“white coat” phenomenon, 59

Dr. Edelman’s Corner, 413

“Don’t Freak Out” (booklet), 48

Dopamine receptor agonists, 108, 121-122, 122t

Doxazosin (Cardura), 245t

DPP (Diabetes Prevention Program), 398t, 399-400, 403

DPP-4 (enzyme), 118, 125-126

DPP-4 inhibitors (incretin enhancers), 108, 118, 119f, 125

as incretin enhancers, 118, 125

low of hypoglycemia risk, 235

Drago, Lorena, 71

DREAM study, 398t, 400

Drinking. See *Alcohol*.

Driving, motor vehicle crashes, 330, 337

Drugs. See *Medications*.

Dry labbing, 42, 43f

Dry mouth (xerostomia), 311, 311t

Duetact (pioglitazone/glimepiride), 123t

Dulaglutide (Trulicity), 126, 127, 127t, 235

side effects, 307

Duloxetine (Cymbalta), 282
Duodenum, 297f
Dupuytren's contracture, 290-291
Duration of insulin action (DIA), 181-182
Dymelor (acetohexamide), 109t

E-patient movement, 359-360
Eating. See *Diet; Food*
Edarbi (azilsartan), 245t, 267t
Edelman, Steven V.
diabetes of, 13-17
 early years, 14-16
 insulin overdose given, 14
 treatments for, 14, 16, 21t
Dr. Edelman's Corner, 413
The Edelman Report, 19, 411, 414
family of, 17, 22f
medicine, study of, 16-17
TCOYD organization and, 18-20

Edema, 117
 macular, 274, 277

Education
 of diabetes patients, 18-19, 20-21
 be smart and persistent, 19, 21, 38
 be up-to-date, 19
 empowered patient movement, 359-360
 of health care providers, 18, 19-20, 415-416
 organizations (web sites), 422-423
 self-education, 18-19, 20-21, 411

Eggs, 85

Elavil, 301

Elderly
 falls and mental impairment in, 36, 36t
 hypoglycemia and, 235
 hypotension and, 120

Emotional aspects of diabetes, 41-42, 45-54
obstacles to managing diabetes, 47-50
 solutions to consider, 50-54
why is managing diabetes so tough?, 46-47

Empagliflozin (Jardiance), 118-120, 120t, 235, 253
combined with linagliptin (Glyxambi), 123t
combined with metformin (Synjardy), 123t
kidney health and, 263-264

Empowered patient movement, 359-360

Enalapril (Vasotec), 245t, 266t

Environmental determinants in type 1 diabetes, 405

Epinephrine (adrenalin), 226-227

Eprosartan (Teveten), 245t, 267t

Erectile dysfunction (ED), 345-346, 349-352
 treatments, 349-352

Erythromycin, 299

Esomeprazole (Nexium), 245t

Esophagus, 298-299
 esophageal reflux, 298-299, 329-330

Estradiol cream, 345

Estrogen, 343-344
Ethnic groups, diabetes and, 25t, 26, 31t, 401
Etiquette: Diabetes Etiquette Card, 53-54
Eucerin creams, 324
Eversense (continuous glucose monitor), 207-208
Exenatide (Byetta), 126, 127t, 235, 299, 307
extended-release (Bydureon), 126, 127, 127t
implantable osmotic mini-pump (ITCA 650), 130
Exercise, 89-106, 397, 403
aerobic, 94-95, 96
balance training, 96-97
benefits of, 89-91, 308
blood glucose control and, 91-92, 94
daily activities, 93-94, 105
Diabetic Athlete's Handbook, 106
doctor consult before, 93, 93t, 103t
flexibility training, 97
getting started, 92-93, 93t, 106
glucose testing before and after, 161-163
goals, 93-94, 105
hydration for, 99-100, 101, 103t
hypoglycemia and, 97-99, 104, 106, 111
importance of, 89-91
information and resources on, 106
insulin dosage adjustment for, 104, 161-163, 163t
low-intensity, 92-93
motivation for, 105
quality of life and, 90-91
resistance training, 95-96
risks and precautions, 97-105, 103t
dehydration, 99-100
diabetic complications, 100-102
excessive fluid intake and, 99-100
high blood pressure, 103t
hyperglycemia, 99
hypoglycemia, 97-99, 103t, 104, 106
insulin use, 102-105
oral diabetic medications and, 98-99
orthopedic injuries and arthritis, 100
sex as, 230
shoes for, 103t
time of day and, 104
walking, 94-95, 106
Exocrine insufficiency, 304-305
Extreme Diabetes Makeover, 19
Eye, 271-278
anatomy and function, 272
bleeding into, 272-273, 274
examination, 63, 271
frequency of, 63, 271, 278
new developments for, 275-276
ophthalmologist for, 271, 278
retina, 272
detachment of, 102

Eye disease (diabetic retinopathy), 271-278
about/overview, 271-274
asymptomatic, 272
blindness, preventing, 271, 272t, 273, 275, 278
blood pressure control and, 410
blood vessels
 bleeding from, 272-273, 274
 breaking, 274
 leakage from, 272-273
blurry vision and, 30
causes of, 276-277
early detection and treatment, 271-272, 273
Edelman, Steven, update on, 277-278
exercise and, 101-102
eye exam, frequency of, 271, 278
forms of
 background form, 272-273, 273f
 proliferative form, 272, 273
glucose levels and, 228, 274
 intensive glucose control, 33, 34f, 228
laser therapy, 272, 274-275
macular edema, 274, 277
ophthalmologist for, 271, 278
prevention of, 33, 34f, 228
scar tissue, 273
treatments for
 glucose control, tight, 274, 278
 laser therapy, 272, 274-275
 medications/drugs, 274, 276-277
 new developments, 275-276
 VEGF inhibitors, 275, 276f, 277
 vitrectomy, 273, 275
VEGF and, 273, 275
Ezetimibe, 250-251, 251t. See also *Vytorin*; *Zetia*.

Facebook, 359, 361, 366-367, 369
Facter, Ken, 16-17
Fainting, 101
Falls, frequent in elderly, 36, 36t
Family history
 of atherosclerosis, 240
 of diabetes, 25t, 401, 402t
 of type 2 diabetes, 24, 25t, 26, 401, 402t
Famotidine (Pepcid), 299
Farxiga (dapagliflozin), 118-120, 120t, 235
Fasting blood glucose (FBG) test, 29, 29t, 30f
 prediabetes, 398
Fatigue, 13, 36t
 sleep apnea and, 325
Fats, 83-85, 84t, 88. See also *Cholesterol*.
 butter vs margarine, 85, 87
 cheese and, 83, 84t
 daily fat budget, 84t
 oils, choosing, 83, 85
 protein and, 81, 82-83, 82f
 saturated, 87, 88

FDPS (Finnish Diabetes Prevention Study), 398t, 399, 403
Feet, 279-288, 293
 blood circulation to, 283-284
 Charcot's joint, 280-281, 293
 exercise and, 100-101
 foot exam (by doctor), 63, 284
 foot inspection, daily, 285-286
 fractures, 280-281
 immunity and, 284
 neuropathy and, 279-281
 diagnosis of, 281, 281f
 painful diabetic (PDN), 282-283
 treatment of, 282-283
 shoes, 103t, 392
 toenail fungus, 286, 318-319, 318f
 troubleshooting, 286
 vascular disease and, 283-284
 wounds and ulcers, 100-101, 280, 283-284, 286, 290
Felodipine (Plendil), 245t
Fena, Cyndee, 309
Fenofibrate, 251t, 252
Fiasp (faster-acting aspart), 141t, 143f, 144-145
Fiber, 74, 88, 303, 304
 fiber acid derivative medications, 251t, 252
 soluble, 74, 88
 supplements, 303, 304
Fingerstick, 41
Finnish Diabetes Prevention Study (FDPS), 398t, 399, 403
Flexibility training, 97
Flexor tenosynovitis (trigger finger), 290, 291f, 292f
Flibanserin (Addyi), 342
Fluconazole (Diflucan), 300
Fluid intake, excessive, 99-100
Fluid retention, 117
Fluvastatin (Lescol), 251t, 268t
Food, 71-88. See also *Diet*.
 food labels, 73, 88
 food trackers (online), 73
 foods recommended for diabetics, 71
 nutrient-dense, 71
 portion sizes, 73, 74, 79, 88
Foot care. See *Feet*.
Fortamet (metformin), 113t
Fosinopril (Monopril), 245t, 266t
Fractures. See *Bone fractures*.
FreeStyle Libre (continuous glucose monitor), 207
Frequency
 of doctor visits, 57-58
 of lab tests and exams, 52, 55-57, 63
 A1C (glycosylated hemoglobin), 52
 blood pressure, 52
 cholesterol, 52, 63, 249, 410
 eye exam, 271, 278
 kidney tests, 63, 260, 269
 record book for, 55, 56f

Frias, Juan Pablo, 397
Frozen shoulder (adhesive capsulitis), 292
Fructosamine, 38
Fruit, 71, 87
Fruit juice, 65
Fungal infections, 286, 311-312, 318-320, 318f, 319f, 320f

Gabapentin (Neurontin), 282, 301
GAD antibodies test, 25-26
Gagnon, Catherine, 339
Gallbladder, 297, 297f
Gallstones, 306
Gastric emptying, 125
Gastroesophageal reflux disease (GERD), 298-299
Gastrointestinal (GI) tract, 297-308
anatomy/diagram of, 297f
colon or large intestine, 303-304
constipation, 303
diabetic diarrhea, 303-304
common complaints, 297, 298t
exercise and, 308
gallstones, 306
liver, 304-305, 308
microbiome, 298
nerves, abnormal function and, 298
pancreas, 304-305
side effects of diabetes medications, 306-307
small intestine, 301-303
bacterial overgrowth syndrome, 301
celiac disease, 302-303
diabetic neuropathy of, 301-302
throat and stomach, 298-300
delayed stomach emptying, 299-300
esophagus, 298-299
ulcer disease, 300
yeast infections, 300

Gastroparesis, 299-300, 307
Gemfibrozil (Lopid), 251t, 252
Genetics, diabetes and, 25t, 26, 47-48, 405
GERD (gastroesophageal reflux disease), 298-299
Gestational diabetes, 28-29, 92
cause of, 28
exercise and, 92
as risk factor for type 2 diabetes, 31t, 401, 402t
risk factors for, 29
screening for, 30-31
treatment of, 29
oral medications not approved for, 108
GFR (glomerular filtration rate), 114, 262
Gila monster, 126
GIP incretin hormone, 118
Glargine, 141t, 143f
Basaglar, 141t, 147, 165t
combined with lixisenatide (Soliqua), 128, 129t
Lantus, 104, 141t, 143f, 147, 165t, 398

Glargine (*continued*)
in ORIGIN study, 398t, 401
U-300 (Toujeo), 141t, 143f, 147, 148, 165t
Glibenclamide (glyburide), 235
Glimepiride (Amaryl), 109t, 307
combined with pioglitazone (Duetact), 123t
combined with rosiglitazone (Avandaryl), 123t
exercise-induced hypoglycemia and, 98
Glipizide (Glucotrol), 109t
combined with metformin (Metaglip), 123t
extended-release (Glucotrol XL), 109t
hypoglycemia and, 98, 235
Glomerular filtration rate (GFR), 114, 262
GLP-1 (glucagonlike peptide-1), 118, 124-130, 124f
actions of, 124-125, 124f
deactivation of, 126
low hypoglycemia risk, 235
mimetics (incretin mimetics), 125-129, 127t
receptor agonists (GLP-1 RAs), 126-128, 127t, 136, 307. See also *Byetta (exenatide)*.
agents
 Byetta (exenatide), 126, 127t
 once-daily (Victoza, Adlyxin), 126-127, 127t
 once-weekly (Bydureon, Trulicity, Tanzeum, Semaglutide), 126-127, 127t
 benefits and shortfalls, 128t
 combination formulations (Soliqua, Xultophy), 128-129, 129t
GLP-1 analogues, 154-155
Glu (T1D online social network), 420
Glucagon, 124, 124f, 151, 226
 GLP-1 and, 124, 124f
 inhibition, with incretin hormones, 118
 injection, for hypoglycemia, 231
 nasal, 231
Glucophage (metformin), 112-114, 113t, 397. See also *Metformin*.
 for diabetes prevention, 399-400, 404
 in DPP study, 398t, 399-400
 extended-release (Glucophage XR), 112, 113t
 side effects of, 307
Glucose. See also *Blood glucose; Glucose control*.
control. See *Glucose control*.
glucose-lowering medications, 107-136
levels. See also *A1C*.
 carbohydrate impact on, 74
 controlling. See *Glucose control*.
 diabetes diagnosis, testing for, 29-31, 29t, 30f
 glucagon and, 226
 goal for, 36-37, 36t
 hypoglycemia and, 65-66
 monitoring. See *Glucose monitoring*.
 postmeal (postprandial), 30, 30f, 36t
logbook, 63
meters, 425-426, 428t-434t
units of measurement (in US and abroad), 390-391
Glucose control, 31-36, 409. See also *Glucose-lowering medications*.
 benefits of, 31-36
 combination of therapies for, 131-132, 132t

Glucose control (*continued*)

- complications, preventing with, 32-36
- exercise and, 91-92, 94
- goal level for, 36-37, 36t, 52-53
- importance of, 27, 31-36, 409
 - DCCT study and, 32-35, 34f
 - insulin and. See *Insulin therapy*.
 - intensive (tight)
 - benefit of, 32-36
 - in DCCT study, 32-35, 34f, 228
 - hypoglycemia risk and, 226, 227-228, 236
 - quality of life and, 35
 - reduction in complications, 32-36
 - long-term glucose-control factors
 - A1C (glycosylated hemoglobin), 37-38, 37f
 - fructosamine, 38
 - medications for. See *Glucose-lowering medications*.
 - quality of life and, 35
- Glucose-lowering medications for type 2 diabetes, 107-136. See also *specific medications and classes of medication*.
 - case presentations, 133-135
 - choice of, 107, 130-132, 132t
 - diabetes prevention and, 397-398
 - FDA guidelines on, 130
 - general guidelines for, 130-132, 132t
 - incretin mimetics, 123-130, 127t
 - GLP-1 receptor agonists (GLP-1 RAs), 126-128, 127t, 307
 - monotherapy (case), 133-134
 - oral medications, 107, 108-122
 - adding to insulin, 133f, 135, 136
 - biguanides (metformin), 108, 112-114, 113t
 - bile acid sequestrants, 108, 120-121, 121t
 - carbohydrate absorption inhibitors, 108, 114-115, 114t
 - combination medications, 122, 123t, 130
 - combination of medications, 133f, 134-135, 136
 - dopamine receptor agonists, 108, 121-122, 122t
 - DPP-4 inhibitors (incretin enhancers), 108, 118, 119f, 125
 - hypoglycemia risk increased by some, 98-99, 235
 - insulin sensitizers (thiazolidinediones), 108, 115-117, 116t
 - non-sulfonylurea insulin secretagogues, 108, 111-112, 112t
 - SGLT-2 inhibitors, 108, 118-120, 120t
 - sulfonylureas (SFUs), 108-111, 109t
 - treatment algorithm, 132, 133f
 - Glucose meters, 403, 425-426, 428t-434t
 - continuous glucose monitoring, 189-223
 - Glucose monitoring. See *Continuous glucose monitoring; Glucose meters; Home glucose monitoring*.
 - Glucotrol (glipizide), 109t
 - extended-release (Glucotrol XL), 109t
 - hypoglycemia and, 98, 235
 - Glucovance (glyburide/metformin), 123t
 - Glulisine (Apidra), 141t, 143, 144t
 - Glumetza (metformin), 113t
 - Glutamic acid decarboxylase (GAD) antibodies test, 25-26
 - Gluten intolerance (celiac disease), 302-303

Glyburide, 109t, 307
combined with metformin (Glucovance), 123t
exercise-induced hypoglycemia and, 98
Glibenclamide, 235
hypoglycemia risk and, 235
Glycemic control. See *Glucose control*.
Glycogen, 105
GlycoMark, 38
Glycosylated hemoglobin. See *A1C*.
Glynase PresTab (glyburide), 109t
Glyset (miglitol), 114-115, 114t, 115t, 397
side effects of, 307
Glyxambi (Linagliptin/empagliflozin), 123t
Goldstein, Irwin and Sue, 339
Grains, 71, 87
Granuloma annulare, 320-321
Guanabenz (Wytenso), 245t
Guanfacine (Tenex), 245t
Guzman, Susan J., 45

Halitosis (bad breath), 312
Halpern, Kriss, 421
Hands, 289-292
carpal tunnel syndrome, 291-292
diabetic cheiroarthropathy, 289-290, 290f, 295
Dupuytren's contracture, 290-291
flexor tenosynovitis (trigger finger), 290, 291f, 292f
surgery for, 295, 295f
limited joint mobility syndrome, 289-290, 290f, 295
“prayer sign,” 289, 290f
shoulder-hand syndrome, 292-293
Hartzell, Rose, 339
HCPs. See *Health care providers*.
HDL (high-density lipoprotein), 248-249, 249t, 250
Health care providers (HCPs). See also *Doctor*; *Doctor visits*.
doctor-patient relationship, 42
education of, 18, 19-20, 415-416
Making the Connection programs for, 19-20, 415-416
training in diabetes (as percentage of time), 23
Health fairs (TCOYD), 411-412
Heart attack, 237-255. See also *Heart disease*.
age and gender in, 240
aspirin and, 253, 255
cardiovascular outcome trials (CVOTs), 240
case presentation, 254-255
cholesterol levels and, 241, 255
controlling, 248-252, 248t
deaths from, 237-238, 238t
glucose control and, 228
high blood pressure and, 241, 242-243, 242t
controlling, 242, 242t, 244-247, 245t
risk factors for, 239-241, 239t, 255
Heart disease. See also *Blood pressure*; *Heart attack*.
aspirin therapy, 253, 255
cholesterol levels, controlling, 248-252, 248t

Heart disease (*continued*)
diabetes as risk factor for, 25t, 239
diabetes medications that can help reduce risk, 119, 253-254
exercise and, 90, 102
family history of, 240
high blood pressure and, 241, 242-243, 242t
controlling, 242, 242t, 244-247, 245t
as risk factor for stroke, 239
risk factors for, 238t, 239-241
SGLT-2 inhibitors and, 119, 253
thiazolidinediones (TZDs) and, 116, 117
warning signs, diabetes may diminish, 238
women's advantage with, 237-238, 238f

Heartburn (gastroesophageal reflux), 298-299

Helicobacter pylori, 300

Hemoglobin, glycosylated. See *A1C*.

Henry, Robert, 17, 132

Herbs, 353-354, 376-377

Heritability
type 1 diabetes and, 24
type 2 diabetes and, 24, 26, 31t, 47-48

High blood pressure. See *Blood pressure, high*.

High-density lipoprotein. See *HDL*.

History. See also *Family history*.
diabetes history sheet, 58-59, 60f-61f
natural history of type 2 diabetes, 27, 28f, 131, 138

Home glucose monitoring (HGM), 39-43, 189
asking for a device, 41
availability of, 39
benefits of, 39-40, 43
continuous. See *Continuous glucose monitoring*.
devices for, 39, 39f
glucose meters, 425-426, 428t-434t
glycosylated hemoglobin (A1C) values and, 38, 38f
importance of, 159-161, 162t
insulin use adjustments and, 170
limitations of, 189
recommended for *all* diabetics, 39-40

Hormones
amylin (Symlin), 151-154
estrogen/progesterone, 343-345
GIP, 118
GLP-1, 118, 124-130
incretin, 118, 123-129
insulin. See *Insulin*.
testosterone, 342-343

Hoskins, Mike, 364

Humalog, 141t, 143, 143f
sick-day recommendations, 64
time course of action, 141t, 143f
tips for using, 144t
U-500, 141t, 150

Humalog Mix 75/25, and 50/50, 141t, 164

Humulin 70/30, and 50/50, 141t

Hydrochlorothiazide (Esidix), 245t

Hyperglycemia, 29t, 36
in elderly, 36, 36t
exercise and, 99
nocturnal, 218-220

Hypoglycemia, 65-66, 225-236
about, 225-228
adrenalin and, 226-227
alcohol and, 67, 229-230
always carry something sweet, 65-66, 139
blood sugar and, 65-66
brain's need for glucose and, 227-228
case studies, 233-235
common themes in types 1 and 2 diabetes, 225-228
continuous glucose monitoring and, 194-195, 220
cortisol and, 227
exercise and, 97-99, 103t, 104, 106, 111
glucagon and, 226
 glucagon injection, 231, 232
glucose control and, 35, 226, 227-228, 236
“hypoglycemia begets hypoglycemia,” 229
hypoglycemia unawareness, 173, 220, 232-233
“I feel fine” factor, can't depend on, 228
insulin use and, 98, 138-139, 149
 insulin pumps/smart pumps, 232
medications and, 98-99, 235
 insulin secretagogues, 112
 sulfonylureas, 98, 111, 226
nighttime/nocturnal, 173, 194-195
physiological processes of, 225-227
preventing, 139, 228-229, 236
sex and, 230
symptoms of, 111
treatment of, 65-66, 97-98, 111, 230-231
 candy, foods, and juice for, 65-66, 111, 228-229, 230-231
 glucagon injection, 231, 232
 milk for, 231
 testing blood glucose level before, 111
type 1 diabetes and, 225, 228-234
 common themes with type 2, 225-228
type 2 diabetes and, 225-226, 234-236
 common themes with type 1, 225-228
 oral medications for, 235
unconsciousness from, 65, 227
 losing consciousness, 232
weight loss and, 127

Ibuprofen, 300

IDDM (insulin-dependent diabetes mellitus). See *Type 1 diabetes*.

IFG (impaired fasting glucose), 29, 29t, 30f, 398

IGT (impaired glucose tolerance), 30, 30f, 399

Imipramine, 282

Immunity/immune system, 284, 309, 317, 405

 skin and, 317-318

 type 1 diabetes and, 405

Impaired fasting glucose (IFG), 29, 29t, 30f, 398

Impaired glucose tolerance (IGT), 30, 30f, 399

Incretin
enhancers (DPP-4 inhibitors), 118, 119f, 125
hormones, 118, 123-129
FDA guidelines on, 130
GLP-1, 124-130, 124f
side effects of, 307
mimetics, 123-130, 125-129, 127t, 398. See also *GLP-1*.
benefits and shortfalls of, 127-128, 128t
in development, 130
GLP-1 pens, 129f
GLP-1 receptor agonists, 126-128, 127t, 307
implantable osmotic mini-pump, 130
specific agents, 127t
stomach emptying and, 299, 307

Indapamide (Lozol), 245t

Inderal/Inderal LA (propranolol), 245t

Individualization of treatment, 31

Indoline diuretic, 245t, 247

Infection
fungal, 286, 311-312, 318-320, 318f, 319f, 320f
immune system and, 317
opportunistic, 317
oral infections, 311-312
of urinary tract, 30
yeast infections, 300, 319-320, 320f

Inhaled insulin, 141t, 143f, 145-147

Insulin. See also *Insulin therapy*.
basal (throughout the day), 140, 148
bolus (at mealtimes), 140
insulin deficiency, relative, 108
insulin resistance, 27, 28f, 108-109
normal functions of, 24, 41, 139-140, 225
normal production by pancreas, 24, 124, 124f, 139-140
secretagogues, 108-112, 112t
sensitizers, 108, 115-117, 116t
time course of action, 140-142, 143f
in type 1 diabetes (lack of), 24
in type 2 diabetes (insulin resistance), 27, 108-109

Insulin-dependent diabetes mellitus (IDDM). See *Type 1 diabetes*.

Insulin resistance, 27, 28f, 108-109
weight and, 402t

Insulin therapy, 137-170. See also *specific insulin preparations by name*.
adjunct for (Symlin, amylin), 151-154
administration of, non-physiologic nature of, 44, 142, 144
agents, 141t-142t. See also *specific agents by name*.
algorithms and sliding scales, 156-159, 158f
basal, 140, 147-149, 163-164, 165t
agents by name, 141t
initiating and titrating, 165t
insulin pump and, 173t
from insulin pumps, 173t, 177-178
long-acting, 147-149
meals and, 140
normal, in nondiabetic people, 140

Insulin therapy, basal (*continued*)
plus GLP-1 RA injectable (and pens), 128-129, 129f
testing if dose is working, 148-149
time course of action, 141t, 143f, 147
vs mealtime insulins, 149
when traveling, 395-396
basal/bolus, 140, 167-169, 170t
for type 1 diabetes, 140
when traveling, 395, 396
benefits of, 138-139
biphasic: fixed mixtures, 141t-142t, 149-150
bolus, 140
case presentations, 164-170
combination therapy, 163-164
daytime oral agent and predinner premixed insulin, 164-165, 166t
insulin pump therapy, 169-170
split-mixed/premixed regimen, 166-167, 170t
type 1 diabetes, 168-170
type 2 diabetes, 165-168
catch up, 156-159
combination preparations (fixed mixtures), 141t-142t, 149-150, 164-165, 166t
in combination with other medications, 130, 163-164, 170t
continuous glucose monitoring and, 159-161, 162t, 170
correction factors, 156-159, 158f
dosage, 155-156, 170
adjusting during travel, 393, 394-396
adjusting for exercise, 104, 161-163, 163t
algorithms for, 156-159, 158f
correction factors, 155, 156-159, 158f
1800 rule, 158-159
“guesstimating,” 155-156, 170
insulin pumps and, 173
time zones during travel, 394-396
units, 14, 390
exercise and, 98, 102-105
fast-acting, 141t, 143-144
Fiasp (faster-acting aspart), 141t, 143f, 144-145
time course of action, 141t, 143f
tips for using, 144t
frequency of doctor visits, 57
home glucose monitoring and, 159-161, 162t, 170
hypoglycemia and, 98, 138-139
inhaled insulin (Afrezza), 141t, 143, 145-147
time course of action, 141t, 143f
injections, fears and misconceptions about, 138-139
insulin menu, 156, 157t
intermediate-acting, 141t, 143f, 149-150. See also *NPH*.
long-acting, 147-149
mealtime, 141t, 142-144, 149, 170
basal/prandial regimen, 167-169
case presentations, 164-165, 166t, 167-168
needles and, 138-139
NPH, 141t, 143f, 149-150
peak action, 140-142, 141t-142t, 143f, 144
pens, 129f, 150, 159, 160f

Insulin therapy (*continued*)
premixed, 141t-142t, 149-150, 164-165, 166t, 170t
pumps, 171-187
 accuracy of, 172
 airplane travel and, 393, 394
 backup for travel, 389, 391
 basal insulin/rates, 173t, 177-178
 benefits of, 172-174
 bolus(es), 173t, 179-180, 183
 bolus calculator, 178-179
 bolus onboard (BOB), 182
 carb bolus, 173t, 179-180
 case presentation, 169-170
 choices/models of, 174-177, 174f, 176f, 183-185
 correction bolus, 173t, 180, 181t
 drawbacks of, 185
 duration of insulin action, 181-182
 features of, 171-172, 177-183
 glucose target, 181, 181t
 infusion sets, 174f, 184-185
 patch pumps, 174f, 175-177, 177f
 pump-meter-CGM combos, 183
 reminders and alerts, 182-183
 temperature variables for, 392
 travel issues, 391, 392, 393, 394
 trend lines, 172
rapid-acting, 141t, 143
 sick-day rules, 64
 time course of action, 141t, 143f
 tips for using, 144t
regimens, 170t
 basal/bolus or basal/prandial, 167-169, 170t
 combination therapy, 130, 163-164, 170t
 insulin pump, 170t
 split-mixed/premixed, 150, 166-167, 170t
regular, 141t, 144
 time course of action, 141t, 143f, 144
resistance to, 138-139
sensitivity factor. See *Correction factor*.
sick-day rules, 64
temperature variables for insulin supplies, 391-392
time course of action of, 140-142, 141t-142t, 143f
timing of initiation of therapy, 107, 132
travel precautions and tips, 391-392, 393
 adjusting insulin therapy, 394-396
 time zones, 394-396
types of, 142-150
for type 1 diabetes patients, 140, 168-170, 170t
for type 2 diabetes patients, 140, 165-168, 170t
U-100 lispro (Admelog), 141t, 143, 144t
U-200 lispro, 141t, 150
U-300 glargine (Toujeo), 141t, 143f, 147, 148, 165t
U-500 (Humalog), 141t, 150
ultra-rapid-acting (inhaled insulin, Afrezza), 137, 141t, 143, 143f, 144t, 145-147
units (in US and abroad), 390
 necessity of having written out, 14

International Diabetes Center (IDC), 423
International Diabetes Federation (IDF), 423
Internet, 359-369, 419-426
advocacy and, 362
blogs, 366, 368t
Diabetes Online Community (DOC), 359, 362-364, 368t
empowered patient movement, 359-360
Facebook, Twitter, Instagram, Tumblr, 359, 361, 366-367, 369
Twitter hashtags, 367t
highly recommended web sites, 368t
how to start connecting, 366-367
patient voices, 364-366
social media, 359, 360-362, 366-367, 414
Invokamet/XR (canagliflozin/metformin XR), 123t
Invokana (canagliflozin), 118-120, 120t, 235, 253-254
combined with metformin XR (Invokamet/XR), 123t
kidney health and, 264
Irbesartan (Avapro), 245t, 267t
Isophane (NPH), 141t, 143f, 149-150
Isradipine (DynaCirc), 245t
Itchy skin, 323-324

Jackson, Richard, 52
Janumet (sitagliptin/metformin), 123t
Januvia (sitagliptin), 118, 119f
combined with metformin (Janumet), 123t
Jardiance (empagliflozin), 118-120, 120t, 235, 253
combined with linagliptin (Glyxambi), 123t
combined with metformin (Synjardy), 123t
kidney health and, 263-264
JDRF (Juvenile Diabetes Research Foundation), 366, 406, 420
Jentadueto (linagliptin/metformin), 123t
Job Accommodation Network (JAN), 423
Joints. See also *Musculoskeletal system*.
Charcot's joint, 280-281, 293
exercise and, 100
limited joint mobility syndrome, 289-290, 290f, 295
Joslin Diabetes Clinic (Boston), 17, 50, 52
Jovanovic, Lois, 29
Juice, 65, 230
Juvenile Diabetes Research Foundation (JDRF), 366, 406, 420
Juvenile-onset diabetes. See *Type 1 diabetes*.

Kazano (alogliptin/metformin), 123t
Ketoacidosis, diabetic (DKA), 120
Ketoconazole, 319
Ketones, 64-65, 99
Khoury, Mayssoun S., 309
Kidney, 257-269
eGFR (estimated glomerular filtration rate), 114, 262
function, 258
blood glucose and, 119, 136t, 258
keeping records of, 114
metformin and, 113-114
testing, 259-262

Kidney (*continued*)

- lab tests, frequency of, 63, 260, 269
- renal artery stenosis, 266
- SGLT-2 inhibitors and, 119, 120
- Kidney disease (diabetic nephropathy), 257-269**
 - about, 258
 - aggressive treatment of, 259, 263-268, 263t, 269
 - blood pressure and, 258, 269, 410
 - screening, 262-263
 - treatment, 259, 264-267
 - case presentation, 268-269
 - cause of, 258
 - definition of, 258
 - early detection, importance of, 259, 260, 269
 - exercise and, 102
 - glucose control, tight, 33, 228, 259, 269
 - glucose levels as cause of, 258
 - as microvascular complication, 32, 258
 - prevention of, 228, 257, 259, 269
 - screening and tests, 258, 259-262
 - eGFR (estimated glomerular filtration rate), 262, 269
 - frequency of, 260, 269
 - Micral test strips, 261
 - microalbuminuria, 259-262, 260t, 269
 - urinary albumin-to-creatinine ratio (UACR), 260-261
 - treatment and management, 258, 263-269, 263t
 - ACE inhibitors, 265-266, 266t, 269
 - ARBs, 267, 267t, 269
 - blood pressure control, 264-265, 269
 - cholesterol reduction, 268, 268t
 - diabetes medications, 263-264
 - glucose control, 263, 269
 - low-protein meal plan, 267, 269
- Kim, Rachel Peterson, 289
- Kombiglyze XR (saxagliptin/metformin XR), 123t
- Kruse, Ingrid, 17, 279

Lab results. See *Tests, results*.

Lactic acidosis, 114

- LADA (Latent Autoimmune Diabetes in Adults), 25-26
- Lantus (glargine), 104, 141t, 147, 398
 - combined with Adlyxin (Soliqua), 128, 129t, 155
 - initiating, 165t
 - in ORIGIN study, 398t, 401
 - time course of action, 141t, 143f
- Large intestine, 303-304
- Latent Autoimmune Diabetes in Adults (LADA), 25-26
- Laxatives, 303
- LDL (low-density lipoprotein), 248-249, 249t, 250-251, 268
- Legal expert (web site), 421
- Legal issues in the workplace, 386
- Lescol (fluvastatin), 251t, 268t
- Levemir (detemir), 104, 141t, 147
 - cautions for, 147
 - initiating, 165t
 - time course of action, 141t, 143f

Levitra, 350
Libre Pro (continuous glucose monitor), 207
Lidocaine patch, 283
Life expectancy, exercise and, 90
Lifestyle modifications, 131, 133f, 397. See also *Diet*; *Exercise*.
 clinical studies on, 399
Limited joint mobility syndrome, 289-290, 290f, 295
Linagliptin (Tradjenta), 118, 119f
 combined with empagliflozin (Glyxambi), 123t
 combined with metformin (Jentadueto), 123t
Lipids, 248-249, 248t. See also *Cholesterol*.
 lipid panel (testing), 249
 treating abnormal levels of, 249-253, 251t
Lipitor (atorvastatin), 251t, 252, 268t
Liraglutide (Victoza), 126, 127t, 299
 combined with insulin degludec (Xultophy), 128, 128t, 155
 heart benefits of, 254
 low hypoglycemia risk, 235
 side effects, 307
Lisinopril, 245t, 266t
Lispro, 141t, 143, 143f. See also *Humalog*.
 time course of action, 141t, 143f
U-100 (Admelog), 141t, 143, 144t
U-500 (Humalog), 141t, 150
Livalo (pitavastatin), 268t
Liver, 297, 297f, 304-305
 fatty liver, 305-306
 exercise and, 308
 glucose production by, 225
 glucose release from, 226
 insulin action on, 225
Lixisenatide (Adlyxin), 125-128, 127t
 plus Lantus (Soliqua), 128, 129t, 155
 side effects, 307
Logbooks, 55-57, 56f, 63. See also *Record keeping*.
 dry labbing, 42, 43f
 “forgetting” to bring to doctor visit, 41-42
Lomotil (diphenoxylate/atropine), 304
Lopid (gemfibrozil), 252
Lopressor (metoprolol), 245t
Losartan (Cozaar), 245t, 267t
Lotensin (benazepril), 245t, 266t
Lotrimin Ultra, 318
Lovastatin, 251t, 268t
Low-density lipoprotein. See *LDL*.
Lyrica (pregabalin), 282, 301

Macrovascular complications of diabetes, 32, 35-36, 36t, 237
Macular edema, 274, 277
Making the Connection programs, 19-20
Management of diabetes. See also *Treatment for diabetes*.
 cornerstones of, 131-132, 132t, 409
 diet, 71-88
 glucose-lowering medications, 107-136
 need to know about advances in, 107-108

Management of diabetes (*continued*)
“never too late” philosophy, 20, 409-418
obstacles to, 47-50
responsibility and taking control, 18, 20, 21, 411
self-management plan, 52-53
taking control of, 18-20, 411-416
Mandibular advancement device, 334-336, 336f
Mandibular osteotomy, 336, 337f
Margarine, 85
Mavik (trandolapril), 245t, 266t
McDonald-Blumer, Heather, 289
Meat, 81-83, 82f, 267
Medic Alert bracelet or necklace, 103t
Medical history, 58-59, 60f-61f
Medications, 107-136, 371-378. See also *Glucose-lowering medications; Oral agents for type 2 diabetes*.
allergies/intolerance to, 376
can’t afford, 49
diabetes prevention and, 397-398
general guidelines for, 130-132, 132t
glucose-lowering, for type 2 diabetics, 107-136
herbal remedies and, 376-377
how long to stay on, 377
how to determine if it is working, 374
keeping track (records) of, 371-372
know why you are being treated, 373-374
manufacturers/company web sites, 424
“off-label” use of, 130, 343
remembering to take, 377
safe and effective use of, 371-378
sick-day rules, 64-65
side effects of, 306-307, 375. See also *specific medications*.
swallowing pills, 377
taking to doctor visit, 372-373
what to tell your doctor, 376-377
what to tell your pharmacist, 377-378
Mediterranean Diet, 349, 352, 357-358, 358f
Medline Plus, 426
Medtronic CGM systems, 206-207, 208
Mendoza, Rick, 422
Metabolic syndrome, 305
Metaglip (glipizide/metformin), 123t
Meters (glucose meters), 425-426, 428t-434t
Metformin, 112-114, 113t
agents
Fortamet, 113t
Glucophage, 112-114, 113t, 397
Glumetza, 113t
Riomet (liquid), 113t
benefits and shortfalls of, 112-113, 113t
in combination with
alogliptin (Kazano), 123t
canagliflozin (Invokamet/XR), 123t
dapagliflozin (Xigduo), 123t
empagliflozin (Synjardy), 123t

Metformin, in combination with (*continued*)
 glipizide (Metaglip), 123t
 glyburide (Glucovance), 123t
 linagliptin (Jentadueto), 123t
 pioglitazone (Actoplus Met, Actoplus Met XR), 123t
 repaglinide (Prandimet), 123t
 rosiglitazone (Avandamet), 123t
 saxagliptin (Kombiglyze XR), 123t
 sitagliptin (Janumet), 123t
diabetes prevention and, 399-400, 404
in DPP study, 398t, 399-400
for gestational diabetes, 29
hypoglycemia risk with, 235
kidney function and, 113-114
side effects, 307

Methyclothiazide (Enduron), 245t

Methyldopa (Aldomet), 245t

Metoclopramide (Reglan), 299

Metoprolol, 245t

Mevacor (lovastatin), 251t, 268t

Micardis (telmisartan), 245t, 267t

Micral test strips, 261

Microalbuminuria, 259-262
 blood pressure goals for, 265, 265t
 testing for, 260-262, 260t

Micronase (glyburide), 109t, 307
 hypoglycemia and, 98, 235

Microvascular diabetes complications, 32-35, 34f, 258, 410. See also *Neuropathy*.
 diabetic nephropathy (kidney disease), 257-269
 diabetic retinopathy (eye disease), 271-278
 reduced or prevented with glucose control, 32-35, 34f

Miglitol (Glyset), 114-115, 114t, 115t, 307, 397

Milk, 231

MiniMed 530G/630G/670G (insulin pumps), 176f
 with CGM, 191f

Miyares, Urban, 379, 388

Moexipril (Univasc), 245t, 266t

Monopril (fosinopril), 245t, 266t

Morse, Aaron B., 325

Motivation, 20, 105

Motor vehicle crashes, 330, 337

Motrin (ibuprofen), 300

Mouth. See also *Teeth and gums*.
 dry mouth, 311, 311t
 oral hygiene, 313-315, 313t, 316

Mouthwashes, 314

Muscle, 293-294
 cells, physical activity and, 91
 diabetic muscle infarction, 293-294

Musculoskeletal system, 289-295. See also *specific areas, e.g., hands*.
 case presentation, 295
 diabetes impact on, 289-295
 general involvement
 osteoarthritis, 294
 osteoporosis, 294

Musculoskeletal system (*continued*)

hands, 289-292

muscles, 293-294

shoulders, 292-293

MyDiabetesHome.com, 421-422

Nadolol (Corgard), 245t

NASH (nonalcoholic steatohepatitis), 305

Nassar, Adrienne, 389, 396

Nateglinide (Starlix), 111-112, 112t, 397-398

National Diabetes Education Initiative (NDEI), 423

National Diabetes Education Program (NDEP), 423, 426

National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK), 422, 426

National Institutes of Health, 274, 399

Natriuretic peptide, 329

Natural history of type 2 diabetes, 27, 28f, 131, 138

Nausea, 306-307

NAVIGATOR study, 401

NDEP (National Diabetes Education Program), 423, 426

Necrobiosis lipoidica diabetorum (NLD), 321-322, 323f

Needles, for insulin therapy, 138-139

Neosporin, 286

Nephropathy, 257-269. See also *Kidney disease*.

Nesina (alogliptin), 118, 119f, 235

Networking. See *Internet*.

Neurontin (gabapentin), 282, 301

Neuropathy, 279-281

autonomic, 101

DCCT study and, 33

diagnosis of, 281, 281f

oral, 312

painful diabetic neuropathy (PDN), 282-283

peripheral. See *Peripheral neuropathy*.

prevention with glycemic control, 279

of small intestine, 301-302

treatment of, 282-283

Never too late philosophy, 20, 91, 409-418

Niacin (nicotinic acid), 251t, 252

extended-release (Niaspan), 251t

Niaspan (extended-release niacin), 251t

Nicardipine (Cardene), 245t

NIDDK (National Institute of Diabetes and Digestive and Kidney Diseases), 422, 426

NIDDM (non-insulin-dependent diabetes mellitus). See *Type 2 diabetes*.

Nifedipine (Adalat), 245t

Night time

hyperglycemia, 218-220

hypoglycemia, 173, 194-195

urination (nocturia), 329-330

Nimodipine (Nimotop), 245t

Nisoldipine (Sular), 245t

Nocturia (night-time urinating), 329-330

Non-sulfonylurea insulin secretagogues, 108, 111-112, 112t

Nonalcoholic steatohepatitis (NASH), 305

Non-insulin-dependent diabetes mellitus (NIDDM). See *Type 2 diabetes*.

Novolin 70/30, 141t

Novolog (aspart), 141t, 143
Fiasp (faster-acting aspart), 141t, 143f, 144-145
sick-day recommendations, 64
time course of action, 141t, 143f
tips for using, 144t
Novolog Mixture 70/30, 50/50, 141t, 164
NPH (isophane), 141t, 149-150
time course of action, 141t, 143f
Numbers/levels
for diabetes diagnosis, 29-31, 29t, 30f
fasting blood glucose (FBG), 29, 29t, 30f, 398
goal levels
A1C, 36-37, 36t
blood pressure, 243, 244, 264-265, 265t, 410
cholesterol, 248t, 410
glucose control, 36-37, 36t
impaired glucose tolerance (IGT), 30, 30f, 399
need to know, 38, 51-52, 62
oral glucose tolerance test (OGTT), 30-31, 30f
prediabetes, 29-30, 30f, 398-399
release-of-information form to get lab results, 39
Nutrition. *See Diet*
Nuts, 87

Obesity, 75t, 308, 402t. *See also Weight.*
central, 31t, 402t
childhood, 330
diabetes and, 31t
heart attack and, 241
sleep apnea and, 325, 328, 328t
Obstructive sleep apnea. *See Sleep.*
Octreotide (Sandostatin), 304
“Off-label” use of medications, 130, 343
OGTT (glucose tolerance test), 30-31, 30f, 399
Oils, 83, 85
Olmesartan (Benicar), 245t, 267t
Omacor (omega-3-acid ethyl esters), 251t
Omega-3, 85
Omeprazole (Prilosec), 299
combined with sodium bicarbonate (Zegerid), 300
OmniPod (insulin pump), 137, 174f, 175, 177f
OneTouch Ping (insulin pump), 176f
OneTouch Via (insulin pump), 174f, 177
Onglyza (saxagliptin), 118, 119f, 235
combined with metformin (Kombiglyze XR), 123t
Online support/resources, 359-369, 419-426. *See also Internet.*
Onset of diabetes, age at, 23, 25t, 26
Oral agents for type 2 diabetes, 107-122. *See also Medications; Oral medications; specific medications and classes of medications.*
adding to insulin, 133f, 135, 136
algorithm for treatment, 132, 133f
biguanides, 108, 112-114, 113t
biguanides (metformin), 108, 112-114, 113t
bile acid sequestrants, 108, 120-121, 121t
carbohydrate absorption inhibitors, 108, 114-115, 114t

Oral agents for type 2 diabetes (*continued*)
combination medications, 122, 123t, 130
combination of medications, 133f, 134-135, 136
dopamine receptor agonists, 108, 121-122, 122t
DPP-4 inhibitors (incretin enhancers), 108, 118, 119f, 125, 235
exercise-induced hypoglycemia and, 98-99
general medication guidelines, 130-132, 132t
hypoglycemia risk increased by some, 98-99, 235
incretin mimetics, 123-130, 127t
insulin secretagogues, nonsulfonylurea (Prandin, Starlix), 108, 111-112, 112t, 397-398
insulin sensitizers (thiazolidinediones), 108, 115-117, 116t
non-sulfonylurea insulin secretagogues, 108, 111-112, 112t
pregnancy and, 108
SGLT-2 inhibitors, 108, 118-120, 120t, 253
sick-day rules, 64-65
sulfonylureas (insulin secretagogues), 107, 108-111
Oral glucose tolerance test (OGTT), 30-31, 30f, 399
Oral hygiene, 313-315, 313t, 316. See also *Teeth and gums*.
Oral medications, 107-122. See also *Oral agents for type 2 diabetes*.
 combination therapy. See *Combination therapy*.
 hypoglycemia risk and, 98-99, 235
 sick-day rules, 64-65
Orinase (tolbutamide), 109t, 306
 exercise-induced hypoglycemia and, 98
Orlistat (Xenical), 398, 398t, 401
Oseni (alogliptin/pioglitazone), 123t
Ospemifene (Osphena), 345
Osteoarthritis, 294
Osteoporosis, 294
Overweight condition, 75t
 diabetes and, 31t, 401, 402t
 sleep apnea and, 325, 328, 328t

Painful diabetic neuropathy (PDN), 282-283

Pancreas, 297f, 304-305
 amylin from, 151
 antibody attacks on, 25, 25t
 artificial, 208, 406-407
 beta cells in, 25, 41, 124f, 226, 405
 destruction of cells, in type 1 diabetes, 24, 25t
 exhaustion of, 27, 110, 131
 exocrine impairment, 304-305
 normal function of, 24, 41, 139-140
 normal insulin production by, 124, 124f, 139-140
 normal insulin time course of action, 140-142, 143f
 pancreatic enzyme pills, 305

Pantoprazole (Protonix). See *Protonix*.

Participatory Medicine, 360

Patient education, 18-19, 20-21. See also *Advocacy; Education*.
 being smart and persistent, 19, 21, 38
 empowered patient movement, 359-360

PCSK9 inhibitors, 251-252, 251t

Pentoxifylline, 322

Pepcid (famotidine), 299

Perindopril (Aceon), 245t, 266t

Periodontal disease, 309-311, 310f, 313
Periodontitis. See *Periodontal disease*.
Peripheral arterial disease, 100-101
Peripheral neuropathy, 100-101. See also *Neuropathy*.
 foot problems and, 279-281
Peristalsis, 124f, 125, 151
Pettus, Jeremy, 55, 70f, 137, 189, 397, 404, 417f
Pharmaceutical manufacturers, 424
Phenytoin (Dilantin), 301
Physical activity. See *Exercise*.
Pioglitazone (Actos), 115-117, 116t, 397
 ACT NOW study, 398t, 400
 in combination with alogliptin (Oseni), 123t
 in combination with glimepiride (Duetact), 123t
 in combination with metformin (Actoplus Met), 123t
Pitavastatin (Livalo), 268t
PKC beta (PKC B), 276
Plaque disease, 310
Polonsky, Bill, 20, 45, 53, 54f, 57f, 416
Portion sizes, 73, 74, 79, 88
Postmeal (postprandial) glucose value, 30, 30f, 36t
Potassium levels, high in blood, 266
Pramlintide (Symlin). See *Symlin*.
Prandimet (repaglinide/metformin), 123t
Prandin (repaglinide), 111-112, 112t
 combined with metformin (Prandimet), 123t
 exercise hypoglycemia risk and, 98-99
Pravachol (pravastatin), 251t, 268t
Pravastatin (Pravachol), 251t, 268t
“Prayer sign,” 289, 290f
Prazosin (Minipress), 245t
Precose (acarbose), 114-115, 114t, 115t, 397
 side effects of, 307
Prediabetes, 27, 29-30, 398-399, 402
 definition of, 398-399
 insulin resistance and, 27
 prevention of conversion to diabetes, 401
 as risk factor for type 2 diabetes, 401
 test values in, 29-30, 30f
Pregabalin (Lyrica), 282, 301
Pregnancy. See also *Gestational diabetes*.
 diabetes during, 28-29, 402t
 giving birth to 9-pound baby, 31, 31t, 402t
 glucose monitoring during (OGTT), 30-31
 medications to avoid during, 108, 266, 377
Prescription medications, 58, 62. See also *Insulin*; *Medications*; *Oral agents for type 2 diabetes*.
 safe and effective use of, 371-378
Prescription refills, 58
Prevacid (lansoprazole), 300
Prevention of diabetes, 397-408
 associated conditions and, 404
 case presentations, 407-408
 clinical trials on, 398t
 ACT NOW, 398t, 400
 DPP, 398t, 399-400, 403

Prevention of diabetes, clinical trial (*continued*)

DREAM, 398t, 400

FDPS, 398t, 399, 403

NAVIGATOR, 401

ORIGIN, 398t, 401

STOP-NIDDM, 398t, 401

UKPDS, 35

XENDOS, 398t

insulin resistance and, 397-398

medications and, 404

prediabetes, 398-399, 401

research program, getting involved with, 404

risk factors for type 2 diabetes, 401-403, 402t

what to do about, 403-404

type 1 diabetes, 404-406, 407

type 2 diabetes, 397-404, 407-408

types of interventions, 397-398

Prilosec (omeprazole), 299

Prinivil (lisinopril), 245t, 266t

Progesterone, 343-345

Propranolol (Inderal/Inderal LA), 245t

Propulsid (cisapride), 299

Protein, 71, 81-86, 88

cheese and, 83, 84t

cholesterol in, 85

fat and, 81, 82-83, 82f

lean protein foods, 82

low-protein meal plan, 267

in urine. See *Microalbuminuria*.

Pumping Insulin, 174, 186

Pumps (insulin), 171-187. See also *Insulin, pumps*.

Quality of life, 35, 90-91

Questran (cholestyramine), 251t, 252

Quinapril (Accupril), 245t, 266t

Ramipril (Altace), 245t, 266t, 374

DREAM study, 398t, 400

Ranitidine (Zantac), 299

Rapid-acting insulins. See *Insulin, rapid-acting*.

RealAge, 420

Record keeping, 55-58. See also *Logbooks*.

diabetes history sheet, 58-59, 60f-61f

falsifying (“dry labbing”), 42, 43f

list of recommended tests, exams, and results, 55-57, 56f

medical record/history, 58-59, 60f-61f, 63

medications, 371-372

Reflex sympathetic dystrophy (RSD), 292-293

Reflux, esophageal, 298-299, 329-330

Reglan (metoclopramide), 299

Regular insulin, 141t, 143t, 144

Relationships, 48-49, 53-54

doctor-patient, 42, 61-62

Release-of-information form, 39

Renal artery stenosis, 266

Renal disease. See *Kidney disease*.
Renin inhibitors, direct, 245t
Repaglinide (Prandin), 111-112, 112t
 combined with metformin (Prandimet), 123t
Research programs/trials, being involved in, 404, 405-406
Resources, 419-426
 calorie calculators, 73, 423
 diabetes resources, 419-424
 magazines and online resources, 421-422
 online, 359-369, 419-426
 organizations and associations, 419-421, 422-423, 426
 pharmaceutical manufacturers, 424
 travel, 425
Retina, 272-273. See also *Eye disease (diabetic retinopathy)*.
Retinal detachment, 102
Retinoid cream, 320, 322
Retinopathy. See *Eye disease (diabetic retinopathy)*.
Rezulin (troglitazone), 116, 398t
Rick Mendosa's Diabetes Directory, 422
Riding on Insulin, 420
Rifaximin (Xifaxan), 301
Riomet (metformin liquid), 113t
Risk factors for diabetes, 31t, 401-403, 402t
 Diabetes Risk Test, 402
Roberts, Ruth, 171
Rosenberg, Robert M., 317
Rosiglitazone (Avandia), 115-117, 116t, 397
 combined with glimepiride (Avandaryl), 123t
 combined with metformin (Avandamet), 123t
 DREAM study, 398t, 400
 safety of, 116
Rosuvastatin (Crestor), 251t, 252, 268t
Roszler, Janis, 349, 358
Ryzodeg 70/30, 142t

Saliva, 309
Salt in diet, 86, 87, 88
Sandostatin (octreotide), 304
Santos, Tricia, 107
Sarna, 324
Satiety and appetite, 124f, 125, 151
Saturated fats, 87, 88
Saxagliptin (Onglyza), 118, 119f, 235
 combined with metformin (Kombiglyze XR), 123t
Saxenda, 126
Screening tests
 for diabetes, 26-27, 402t, 405, 408
 GAD, 26
 for gestational diabetes, 30-31
Secretagogues
 non-sulfonylurea insulin, 108, 111-112, 112t
 sulfonylureas (insulin secretagogues), 107, 108-111, 109t
Self-advocacy for diabetes patients. See *Advocacy*.
Self-management plan, 52-53
Semaglutide, 125, 126, 127t

Semmes Weinstein monofilaments, 281, 281f
Seneonics Eversense (continuous glucose monitor), 207-208
Sex hormone binding globulin (SHBG), 343
Sexual dysfunction
 causes of, 339-340
 counseling, 357
 diabetes and, 339-340
 estrogen/progesterone and, 343-345
 hormone treatment, 343-344
 hypoactive sexual desire disorder (HSDD), 342
 incidence of, in diabetics, 339
 low sexual desire, 340, 342
 in men, 339, 340, 345-347, 349-354
 delayed ejaculation, 346-347
 erectile dysfunction, 340, 345-346, 349-352
 low testosterone, 352, 353f
 premature ejaculation, 352-353
 retrograde ejaculation, 340, 346
 treatments, 349-354
 blood glucose control, 350
 constriction rings, 350
 herbs, 353-354
 Kegel exercises, 353
 Mediterranean Diet, 352
 penile implants, 351
 penile sleeves, 351
 penile suppositories and injections, 351
 pills, 350
 vacuum pumps, 350-351
 relationships, focusing on, 356-357
 testosterone and, 342-343, 352, 353f
 in women, 339, 340, 341-345, 354-356
 estradiol and progesterone, 343-345
 lowered interest/arousal/orgasm, 341-345
 menopause and, 343-344, 345
 pain and vaginal dryness, 345, 355-356
 painful sex, 345, 355-356
 pelvic floor muscles and, 341-342
 testosterone and, 342-343
 treatments
 hormone treatments, 342-345
 imagination, use of, 356
 Kegel exercises, 356
 pelvic floor physical therapy, 342
 time and, 356
 vaginal lubricants, 355
 urinary tract infections, 354-355
Sexual health and function, 339-358. See also *Sexual dysfunction*.
 causes of sexual problems in diabetics, 339-340
 concerns in men with diabetes, 345-347, 349-354
 concerns in women with diabetes, 341-345, 354-356
 counseling and, 357
 embarrassment about discussing, 339
 glucose control and, 345, 350, 354

Sexual health and function (*continued*)
hormonal evaluation, 342-343
estrogen and progesterone, 343-344
sex hormone binding globulin (SHBG), 343
testosterone, 342-343, 352, 353f
hypoglycemia risk (sex as exercise), 230
Kegel exercises for men, 353
Kegel exercises for women, 356
Mediterranean Diet and, 349, 352, 357-358, 358f
PAIRS seminar, 357
pelvic floor physical therapists, 342
relationships, focusing on, 356-357
Sex and Diabetes: For Him and For Her, 358
sex therapists, 341, 347, 349
sexual medicine, 339-347
specialized sexual medicine HCPs, 340-341, 347
Tantric sex, 349, 357
SFUs. See *Sulfonylureas (SFUs)*.
SGLT-2 inhibitors, 108, 118-120, 120t
cardiovascular health and, 120, 253
kidney health and, 263-264
low hypoglycemia risk, 235
Shin spots (diabetic dermopathy), 321, 322f
Shoes, 103t, 392
Shoulders, 292-293
frozen shoulder, 292
shoulder-hand syndrome, 292-293
Sick-day rules, 64-65
Side effects, 306-307, 375
Simvastatin (Zocor), 251t, 252, 268t
combined with ezetimibe (Vytorin), 251
Sitagliptin (Januvia), 118, 119f
combined with metformin (Janumet), 123t
Skin, 317-324, 317t
acanthosis nigricans, 320, 321f
cancer, 322
diabetic dermopathy (shin spots), 321, 322f
eruptive xanthomas, 322, 324f
as first line of defense, 317
function of, 317
fungus (warm moist areas), 319-320, 319f, 320f
granuloma annulare, 320-321
immune system and, 317-318
itching, 323-324
moisturizing for, 323-324
necrobiosis lipoidica diabetorum (NLD), 321-322, 323f
toenail fungus and athlete's foot, 318-319, 318f
Sleep, 325-338
about, 326-327, 326f
nocturia and, 329-330
obstructive sleep apnea, 325-338
about, 326-327, 326f
bottom line, 337-338
cardiovascular mortality and, 327, 327f, 337
causes of, 326-327, 326f, 331

Sleep, obstructive sleep apnea (*continued*)
in children, 330
daytime sleepiness, 328-329, 331, 337
diagnosis, 331-332, 331f
esophageal reflux and, 329-330
high blood pressure and, 331
home sleep testing, 332
incidence (commonness) of, 325, 330
motor vehicle crashes and, 330, 337
overweight and obesity and, 325, 328, 328t, 331
screening questionnaire, 331, 331f
signs and symptoms of, 325, 327-330, 328t
sleep fragmentation, 330
sleep study, 327, 332
snoring and, 326, 328
thin woman, anatomy in, 329f
treating as a chronic disease, 334, 338
treatment of, 325-326, 332-338
bimaxillary advancement, 336, 337f
CPAP, 331, 332-334, 333f-335f, 333t
Inspire pacemaker, 337
mandibular advancement device, 334-336, 336f
mandibular osteotomy, 336, 337f
surgery, 336-337
tracheotomy, 336-337
uvulopalatopharyngoplasty, 336, 336f
undiagnosed, 331, 337
purpose of, 327
restless sleep, 329
sleep history, 331, 338
sleep study, 327, 332
unique to humans, 326-327
Sleep Health MD, 325-326
Small intestine, 301-303
Smoking, 239t, 241, 284, 313
avoiding, 241, 312, 313, 352
circulation problems and, 287
erectile dysfunction and, 352
heart disease risk and, 241
sex and, 340, 345, 352
sleep apnea and, 332
Snacks and snacking, 46, 139, 228-229
exercise and, 98, 104
Snoring, 326, 328
Social media, 359, 360-362
Diabetes Social Media Summit, 366
TCOYD on, 414
Sodium (salt), 86, 87, 88
Sodium bicarbonate/omeprazole (Zegerid), 300
Sodium-glucose co-transporter 2 inhibitors. See *SGLT-2 inhibitors*.
Soliqua (Lantus plus Adlyxin), 128, 129t, 155
Stable diabetes. See *Type 2 diabetes*.
Starlix (nateglinide), 111-112, 112t, 397-398
exercise hypoglycemia risk and, 98-99
Statins, 250-251, 251t, 252, 268, 268t

Stomach, 297f, 298-300
delayed emptying (gastroparesis), 299-300
GERD and, 298-299
GLP-1 and, 124f, 125
peristaltic contractions of, 124f, 125, 151
ulcers, 300
STOP-NIDDM Study, 398t, 401
Stress, 49, 308
Stroke. See also *Heart attack*.
aspirin and, 253, 255
attack, 237-255
preventing, 237-255
risk factors for, 238t, 239-241
Sugar. See also *Glucose*.
added sugars, 87
carbohydrates and, 74
dietary allowance of, 87
sugar-free foods, 87
Sulfonylureas (SFUs), 107, 108-111, 109t
action mechanism of, 108
adding another medication to, 110
ADOPT trial, 109-110, 110f
benefits and shortfalls of, 109-111, 110t
for gestational diabetes, 29
hypoglycemia and, 98, 111, 226, 235
loss of effectiveness over time, 107, 109-110, 110f
side effects of, 306-307
specific agents, frequency, and dosages, 109t
weight gain with, 110-111
Support, 48-49, 53-54. See also *Internet*.
Diabetes Etiquette Card for friends, 53-54
online support, 359-369, 419-426
support groups, 54
unhelpful, 48-49, 54
Survivorship concept, 359
Sweets, always carrying for hypoglycemia, 65-66, 139
Swelling. See *Edema*.
Symlin (pramlintide, amylin), 137, 151-154, 299, 305
benefits of, 153t
initiation and titration schedule, 152-153, 154f
side effects, 153
tips for use, 153
Symptoms of diabetes, 13, 30
asymptomatic stage, 27, 408
Synjardy (empagliflozin/metformin), 123t

Taking Control Of Your Diabetes (TCOYD), 18-20, 411-416
conferences, 18, 19, 411-412
Dr. Edelman's Corner, 413
The Edelman Report, 19, 411, 414
education programs, 18-19, 20-21, 415-416
Extreme Diabetes Makeover program, 19
health fairs, 411-412
Making the Connection programs, 19-20, 415-416
mission statement, 20, 411

Taking Control Of Your Diabetes (TCOYD) (*continued*)
“never too late” philosophy, 20, 409-418
newsletter, 413-414
social media and, 414
themes of, 18-19, 20
vision for, 416-417
web site (www.tcoyd.org), 364, 411, 422

Tandem t:slim pump, 172f, 174f, 176f
in combination with CGM, 191f

Tantric sex, 349, 357

Tanzeum (albiglutide), 125-128, 127t, 235
side effects, 307

Taste sensation, decrease in, 312

TCOYD. See *Taking Control of Your Diabetes*.

TeamType 1, 421

Technosphere Insulin. See *Afrezza*.

TEDDY (The Environmental Determinants of Diabetes in the Young), 405

Teeth and gums, 309-316
bad breath (halitosis), 312
blood glucose control and, 313
brushing and flossing, 313-314, 314f
case presentation, 316
complications and diseases, 36t
dental examination, 315-316
precautions for, 315, 315t
questions your dentist may ask, 315-316
dentures, 314
diabetes effect on, 309
diet and, 313
dry mouth, 311, 311t
mouthwashes, 314
oral fungal infection (candidiasis), 311-312
oral hygiene, 313-315, 313t, 316
oral neuropathy, 312
periodontal disease, 309-311, 310t, 313
taste sensation, decreased, 312
teeth cleaning, 314-315
wound healing, delayed, 312

Tegretol (carbamazepine), 301

Tekturna (aliskiren), 245t, 246

Telmisartan (Micardis), 245t, 267t

Tenderich, Amy, 359

Tendons. See *Joints*.

TENS (transcutaneous nerve stimulation), 283

Terazosin (Hytrin), 245t

Testosterone, 342-343, 352, 353f

Tests, 29-31, 29t, 30f. See also *Numbers/levels*.
for diabetes diagnosis, 29-31, 29t, 30f
follow-up, 62
frequency of, 52, 55, 63
list of, 55, 56f
list of recommended tests, exams, and results, 55-57, 56f
prediabetic values in, 29-30, 30f
results
discouraging, dealing with, 49-50

Tests, results (*continued*)
dry labbing, 42, 43f
need to know numbers in, 38, 51-52, 62
release-of-information form for, 39
requesting, 38

Teveten (eprosartan), 245t, 267t

Thiazide diuretics, 245t, 247

Thiazolidinediones (TZDs), 115-117, 116t
benefits and shortfalls of, 116-117, 117t
hypoglycemia risk, 235
safety of, 116
side effects of, 117, 117t

Thirst, excessive, 13, 30

Throat, 298-299

Time course of action (of insulins), 140-142, 141t-142t, 143f

Toenail fungus, 286, 318-319, 318f

Tolazamide (Tolinase), 109t

Tolbutamide (Orinase), 109t, 306

Tolinase (tolazamide), 109t

Tornambe, Paul E., 271, 277-278, 278f

Toujeo, 137, 141t, 143f, 147, 148
initiating, 165t

Tradjenta (linagliptin), 118, 119f
combined with metformin (Jentadueto), 123t

Trandolapril (Mavik), 245t, 266t

Travel, 372, 389-396
adjusting insulin therapy during, 394-396
airport security/TSA rules, 393-394
carry-on luggage, 391-392
diet and, 392-393
glucose tabs or sources, 392
insulin pumps, 389, 391, 393, 394
insulin use in airplanes, 393
list of medications, 372
medications and supplies
carry-on luggage, 391-392
overseas, 390-391
protection for, 391-392
radiation exposure, 394
taking twice as many as needed, 390
temperature concerns, 391-392

online resources, 425

packing for, 389-390, 390t

physician letter for, 389, 390t

pre-travel planning, 389-390, 390t

radiation exposure, 394

shoes, 392

taking breaks, 392

time zones, insulin doses and, 394-396

travel insurance and safety, 393, 425

units and dosages for foreign travel, 390-391

vaccinations, 391, 425

what qualifies as, 389

Treatment for diabetes. See also *Diet; Exercise; Medications; and specific agents and classes of agents*.
algorithm for, 132, 133f
 insulin therapy, 156-159, 158f
being be up-to-date on, 19, 107-108, 135-136, 411
cornerstones of (diet, exercise, medications), 131-132, 132t, 409
early, 27, 107, 132t, 136, 408
essential components, 409
gestational diabetes, 29
GLP-1 analogues, 154-155, 235
guidelines for, 130-132, 132t
individualization of, 31
insulin therapy, 137-170
 algorithms for, 156-159, 158f
need to know about, 107-108, 135-136, 411
oral agents for type 2 diabetes, 107-122
self-education about, 18-19, 20-21
type 1, 24-25, 25t
 future treatments, 26
 insulin therapy, 137-170
 oral medications not approved for, 108
type 2, 25t, 27, 132, 133f
 glucose-lowering medications, 107-136
 insulin therapy, 137-170
 oral agents, 107, 108-122
Trend arrows (continuous glucose monitors), 190, 192f, 195-198
Trend lines (insulin pumps), 172
Tresiba (insulin degludec), 104, 141t, 143f, 147, 148, 150
 combined with Victoza (Xultophy), 128, 128t, 155
 initiating, 165t
TrialNet, 405-406, 426
Tricor (fenofibrate), 251t, 252
Tricyclic antidepressants (TCAs), 282, 301
Trigger finger, 290, 291f, 292f, 295
 surgery for, 295, 295f
Triglycerides, 248
 controlling, 116, 251t, 252
 elevated, 250
 goal, 248t
Trilipix (fenofibric acid), 251t, 252
Troglitazone (Rezulin), 116, 398t, 400
Trowbridge, Janet M., 317
Trulicity (dulaglutide), 126, 127, 127t, 235
 side effects, 307
T:slim pump, 172f, 174f, 176f
TuDiabetes.org, 364
Twin studies, 405
Twitter, 359, 361, 367
 diabetes hashtags, 367t
Tylenol-containing medications, 199, 206, 223, 374
Type 1 diabetes, 23-26
 age at onset, 23, 25t
 body weight in, 23, 25t
 cause of, 24, 405
 frequency in US population, 24, 25t

Type 1 diabetes (*continued*)
genetics and, lack of heritability, 24
hypoglycemia and, 225, 228-234
insulin deficiency in, 24
insulin therapy, 140, 168-170, 170t
LADA as subgroup of, 25-26
new classification for, 406
online groups, 420, 421
other names for, 23, 24t
prevention, 404-406
 artificial pancreas and, 406-407
stages 1, 2, 3, 406
treatment for, 24-25, 25t. See also *Diet; Exercise; Insulin*.
 basal/bolus insulin, 140
 future treatments, 26
 oral medications not recommended, 108
type 2 diabetes compared with, 25t
Type 2 diabetes, 26-27
age at onset, 25t, 26
associated conditions, 25t, 31t, 404
body weight and, 25t, 26
causes of, 25t, 27
diagnosis of, 29-31
 early, importance of, 27, 136, 408
 years for, 27
early stages, lack of symptoms in, 27, 408
ethnicity and, 25t, 26, 31t, 401
family history of, 24, 26, 401, 402t
frequency in US population, 25t
genetics of, 25t, 26, 47-48
heritability of, 24, 26, 47-50
hypoglycemia and, 225-226, 234-236
insulin resistance in, 27, 28f, 108-109
natural history of, 27, 28f, 131, 138
other names for, 24t, 26
percentage of US population having, 24
prevention of, 397-404
risk factors for, 31t, 401-403, 402t
screening for, 27, 402t, 408
treatment for, 25t, 27. See also *Diet; Exercise; specific treatment agents*.
 insulin, 137-170, 170t
 oral agents and incretins, 107-122
type 1 diabetes compared with, 25t
TZDs. See *Thiazolidinediones (TZDs)*.

U-100 (Admelog, insulin lispro), 141t, 143, 144t
U-200 insulin lispro, 141t, 150
U-300 (Toujeo, insulin glargine), 141t, 143f, 147, 148, 165t
U-500 (Humalog, insulin lispro), 141t, 150
Ulcers
 foot, 100-101, 280, 283-284, 286, 290
 stomach, 300
Unconsciousness (from hypoglycemia), 65, 227, 232
United Kingdom Prospective Diabetes Study (UKPDS), 35
Univasc (moexipril), 245t, 266t

Unstable diabetes. See *Type 1 diabetes*.
Urea, 318, 320
Urinary albumin-to-creatinine ratio (UACR), 260-261
Urinary tract infections, 30, 36t, 354-355
Urination
 excessive, 13, 36t
 night time (nocturia), 329-330
Urine
 protein in (microalbuminuria), 259-262, 260t
 testing, 39, 39f, 189
 inaccuracy of, 39
Uvulopalatopharyngoplasty (UPPP), 336, 336f

V-Go (insulin pump), 177, 177f
Vaccinations, 391, 425
Vaginal atrophy/dryness, 345, 355-356
Vaginal infections, 36t, 300
Valsartan (Diovan), 245t, 267t
Vascular disease, 283-284
Vascular endothelial growth factor. See *VEGF*
Vasotec (enalapril), 245t, 266t
Vegetables, 71, 76t, 77t, 78, 81, 88
VEGF (vascular endothelial growth factor), 273, 275
 inhibitors, 275, 276f, 277
Verapamil, 245t
Viagra, 350, 352
Vibe G4 (insulin pump), 176f
 CGM-enabled, 191f
Victoza (liraglutide), 126-127, 127t, 299, 305
 heart benefits of, 254
 high-dose (Saxenda), 126
 low hypoglycemia risk, 235
 side effects of, 307
Viruses, 24, 405
Vision. See *Eye; Eye disease*.
Vitamins, 87
 B12, 281, 404
 D, 294, 405
 E, 305
Vitreectomy, 273, 275
Vytorin (ezetimibe/simvastatin), 251, 251t

Walking, 94-95
Walsh, John, 171
Warranty program, diabetes, 55-57, 56f, 59, 410
Web sites, 419-426
 highly recommended, 368t
 pharmaceutical manufacturers, 424
 TCOYD (www.tcoyd.org), 364, 411, 422
Weight, 73-74, 75t, 241, 403
 BMI and, 73-74, 75t
 calories/day and, 72
 diabetes risk and, 31t, 401, 402t
 exercise and, 83-84

Weight (*continued*)

- gain, 35, 72
 - as medication side effect, 110-111, 112, 117
- ideal, 75t, 403
- loss, 72, 397
 - GLP-1 analogues and, 154-155
 - incretin mimetics and, 126, 132t
 - Victoza/Saxenda and, 126
- obesity, 75t
 - central, 31t, 402t
- type 1 diabetes patients, 23, 25t
- type 2 diabetes patients, 25t, 26
- Welchol (colesevelam), 120-121, 121t, 251t, 252
- Werewolf syndrome, 46
- Wolosin, James D., 297
- Workplace, 379-388, 423
 - advantages of diabetes in (and letting people know), 387
 - attitude, 385
 - “disability” and, 381, 385, 386, 423
 - employment behavior and work issues, 382-383
 - federal laws on, 381
 - food in, 384, 385
 - health exams for, 380
 - hiding diabetes, 380
 - Job Accommodation Network, 423
 - job interviews, 386
 - key to success in, 381-383
 - launching a business, 383, 385-386, 388
 - legal issues in, 386
 - military, 379-380, 388
 - Miyares, Urban, contact information, 385, 388
 - new career directions, 383
 - recent diabetes diagnosis and, 383
 - tips for diabetes health in, 384-386
 - uncontrolled diabetes and, 381, 383, 387-388
 - web sites, 388, 423
- Wounds/wound care, 280, 286, 287, 312
 - poor wound healing, 13, 30, 36t, 280
- Xanthomas, eruptive, 322, 324f
- XENDOS Study, 398t, 401
- Xenical (orlistat), 398, 398t, 401
- Xerostomia (dry mouth), 311, 311t
- Xifaxan (rifaximin), 301
- Xigduo (dapagliflozin/metformin ER), 123t
- Xultophy (Tresiba and Victoza), 128, 128t, 155
- Yeast infections, 300, 319-320, 320f
- Zantac (ranitidine), 299
- Zeasorb/Zeasorb-AF, 319
- Zegerid (omeprazole/sodium bicarbonate), 300
- Zestril (lisinopril), 245t, 266t
- Zetia (ezetimibe), 250-251, 251t
- Zocor (simvastatin), 251t, 252, 268t